




Pipelining III

Review: Summary of Pipelining Basics


- Pipelines pass control information down the pipe just as data moves down pipe
- Forwarding/Stalls handled by local control
- Hazards limit performance
 - Structural: need more HW resources
 - Data: need forwarding, compiler scheduling
 - Control: early evaluation & PC, delayed branch, prediction
- Increasing length of pipe increases impact of hazards; pipelining helps instruction bandwidth, not latency
- Interrupts, Instruction Set, FP makes pipelining harder
- Compilers reduce cost of data and control hazards
 - Load delay slots
 - Branch delay slots
 - Branch prediction

Recap: Pipeline Hazards



Recap: Data Hazards

- Avoid some “by design”
 - eliminate WAR by always fetching operands early (DCD) in pipe
 - eliminate WAW by doing all WBs in order (last stage, static)
- Detect and resolve remaining ones
 - stall or forward (if possible)



Recap: Exception Problem

- **Exceptions/Interrupts**: 5 instructions executing in 5 stage pipeline
 - How to stop the pipeline?
 - Restart?
 - Who caused the interrupt?

Stage *Problem interrupts occurring*

IF Page fault on instruction fetch; misaligned memory access; memory-protection violation

ID Undefined or illegal opcode


EX Arithmetic exception

MEM Page fault on data fetch; misaligned memory access; memory-protection violation; memory error

- Load with data page fault, Add with instruction page fault?
- Solution 1: interrupt vector/instruction , check last stage
- Solution 2: interrupt ASAP, restart everything incomplete

The Big Picture: Where are We Now?


◦ The Five Classic Components of a Computer




◦ Today's Topics:

- Recap last lecture
- Review MIPS R3000 pipeline
- Administrivia
- Advanced Pipelining
- SuperScalar, VLIW/EPIC


FYI: MIPS R3000 clocking discipline




- **2-phase non-overlapping clocks**
- **Pipeline stage is two (level sensitive) latches**




Edge-triggered



MIPS R3000 Instruction Pipeline




Resource Usage




Write in phase 1, read in phase 2 => eliminates bypass from WB

Recall: Data Hazard on r1



With MIPS R3000 pipeline, no need to forward from WB stage

MIPS R3000 Multicycle Operations



Ex: Multiply, Divide, Cache Miss

Stall all stages above multicycle operation in the pipeline

Drain (bubble) stages below it

Use control word of local stage state to step through multicycle operation

Getting CPI < 1: Issuing Multiple Instructions/Cycle

- **Two main variations: Superscalar and VLIW**
- **Superscalar: varying no. instructions/cycle (1 to 6)**
 - Parallelism and dependencies determined/resolved by HW
 - IBM PowerPC 604, Sun UltraSparc, DEC Alpha 21164, HP 7100
- **Very Long Instruction Words (VLIW): fixed number of instructions (16) parallelism determined by compiler**
 - Pipeline is exposed; compiler must schedule delays to get right result
- **Explicit Parallel Instruction Computer (EPIC)/ Intel**
 - 128 bit packets containing 3 instructions (can execute sequentially)
 - Can link 128 bit packets together to allow more parallelism
 - Compiler determines parallelism, HW checks dependencies and forwards/stalls

Getting CPI < 1: Issuing Multiple Instructions/Cycle

- **Superscalar DLX: 2 instructions, 1 FP & 1 anything else**
 - Fetch 64-bits/clock cycle; Int on left, FP on right
 - Can only issue 2nd instruction if 1st instruction issues
 - More ports for FP registers to do FP load & FP op in a pair

<i>Type</i>	<i>PipeStages</i>					
Int. instruction	IF	ID	EX	MEM	WB	
FP instruction	IF	ID	EX	MEM	WB	
Int. instruction		IF	ID	EX	MEM	WB
FP instruction		IF	ID	EX	MEM	WB
Int. instruction			IF	ID	EX	MEM WB
FP instruction			IF	ID	EX	MEM WB

- **1 cycle load delay expands to 3 instructions in SS**
 - instruction in right half can't use it, nor instructions in next slot

Unrolled Loop that Minimizes Stalls for Scalar

1	Loop:	LD	F0,0(R1)	LD to ADDD: 1 Cycle
2		LD	F6,-8(R1)	ADDD to SD: 2 Cycles
3		LD	F10,-16(R1)	
4		LD	F14,-24(R1)	
5		ADDD	F4,F0,F2	
6		ADDD	F8,F6,F2	
7		ADDD	F12,F10,F2	
8		ADDD	F16,F14,F2	
9		SD	0(R1),F4	
10		SD	-8(R1),F8	
11		SD	-16(R1),F12	
12		SUBI	R1,R1,#32	
13		BNEZ	R1,LOOP	
14		SD	8(R1),F16	; 8-32 = -24

14 clock cycles, or 3.5 per iteration


Loop Unrolling in Superscalar

	<i>Integer instruction</i>	<i>FP instruction</i>	<i>Clock cycle</i>
Loop:	LD F0,0(R1)		1
	LD F6,-8(R1)		2
	LD F10,-16(R1)	ADDD F4,F0,F2	3
	LD F14,-24(R1)	ADDD F8,F6,F2	4
	LD F18,-32(R1)	ADDD F12,F10,F2	5
	SD 0(R1),F4	ADDD F16,F14,F2	6
	SD -8(R1),F8	ADDD F20,F18,F2	7
	SD -16(R1),F12		8
	SD -24(R1),F16		9
	SUBI R1,R1,#40		10
	BNEZ R1,LOOP		11
	SD -32(R1),F20		12

- Unrolled 5 times to avoid delays (+1 due to SS)
- 12 clocks, or 2.4 clocks per iteration

Software Pipelining

- **Observation: if iterations from loops are independent, then can get ILP by taking instructions from different iterations**
- **Software pipelining: reorganizes loops so that each iteration is made from instructions chosen from different iterations of the original loop (- Tomasulo in SW)**



Software Pipelining Example

Before: Unrolled 3 times

```

1  LD    F0,0(R1)
2  ADDD  F4,F0,F2
3  SD    0(R1),F4
4  LD    F6,-8(R1)
5  ADDD  F8,F6,F2
6  SD    -8(R1),F8
7  LD    F10,-16(R1)
8  ADDD  F12,F10,F2
9  SD    -16(R1),F12
10 SUBI  R1,R1,#24
11 BNEZ  R1,LOOP
    
```


After: Software Pipelined

```

1  SD    0(R1),F4 ; Stores M[i]
2  ADDD  F4,F0,F2 ; Adds to M[i-1]
3  LD    F0,-16(R1); Loads M[i-2]
4  SUBI  R1,R1,#8
5  BNEZ  R1,LOOP
    
```


- **Symbolic Loop Unrolling**

- Less code space
- Fill & drain pipe only once vs. each iteration in loop unrolling



Administrative Issues

° Schedule Ahead



° Sign up IEEE/computer society:
www.computer.org

Limits of Superscalar

- **While Integer/FP split is simple for the HW, get CPI of 0.5 only for programs with:**
 - Exactly 50% FP operations
 - No hazards
- **If more instructions issue at same time, greater difficulty of decode and issue**
 - Even 2-scalar => examine 2 opcodes, 6 register specifiers, & decide if 1 or 2 instructions can issue
- **VLIW: tradeoff instruction space for simple decoding**
 - The long instruction word has room for many operations
 - By definition, all the operations the compiler puts in the long instruction word can execute in parallel
 - E.g., 2 integer operations, 2 FP ops, 2 Memory refs, 1 branch
 - 16 to 24 bits per field => 7*16 or 112 bits to 7*24 or 168 bits wide
 - Need compiling technique that schedules across several branches

Loop Unrolling in VLIW

<i>Memory reference 1</i>	<i>Memory reference 2</i>	<i>FP operation 1</i>	<i>FP op. 2</i>	<i>Int. op/branch</i>	<i>Clock</i>
LD F0,0(R1)	LD F6,-8(R1)				1
LD F10,-16(R1)	LD F14,-24(R1)				2
LD F18,-32(R1)	LD F22,-40(R1)	ADDD F4,F0,F2	ADDD F8,F6,F2		3
LD F26,-48(R1)		ADDD F12,F10,F2	ADDD F16,F14,F2		4
		ADDD F20,F18,F2	ADDD F24,F22,F2		5
SD 0(R1),F4	SD -8(R1),F8	ADDD F28,F26,F2			6
SD -16(R1),F12	SD -24(R1),F16				7
SD -32(R1),F20	SD -40(R1),F24			SUBI R1,R1,#48	8
SD -0(R1),F28				BNEZ R1,LOOP	9

Unrolled 7 times to avoid delays

7 results in 9 clocks, or 1.3 clocks per iteration

Need more registers in VLIW(EPIC => 128int + 128FP)

Trace Scheduling

- **Parallelism across IF branches vs. LOOP branches**
- **Two steps:**
 - ***Trace Selection***
 - Find likely sequence of basic blocks (*trace*) of (statically predicted) long sequence of straight-line code
 - ***Trace Compaction***
 - Squeeze trace into few VLIW instructions
 - Need bookkeeping code in case prediction is wrong

HW Schemes: Instruction Parallelism

◦ Why in HW at run time?

- Works when can't know real dependence at compile time
- Compiler simpler
- Code for one machine runs well on another

◦ Key idea: Allow instructions behind stall to proceed

```
DIVD  F0 , F2 , F4
```

```
ADDD  F10 , F0 , F8
```

```
SUBD  F12 , F8 , F14
```

- Enables out-of-order execution => out-of-order completion
- ID stage checked both for structural & data dependencies

HW Schemes: Instruction Parallelism

- **Out-of-order execution divides ID stage:**
 1. **Issue**—decode instructions, check for structural hazards
 2. **Read operands**—wait until no data hazards, then read operands
- **Scoreboards allow instruction to execute whenever 1 & 2 hold, not waiting for prior instructions**
- **CDC 6600: In order issue, out of order execution, out of order commit (also called completion)**

Scoreboard Implications

- **Out-of-order completion => WAR, WAW hazards?**
- **Solutions for WAR**
 - Queue both the operation and copies of its operands
 - Read registers only during Read Operands stage
- **For WAW, must detect hazard: stall until other completes**
- **Need to have multiple instructions in execution phase => multiple execution units or pipelined execution units**
- **Scoreboard keeps track of dependencies, state or operations**
- **Scoreboard replaces ID, EX, WB with 4 stages**

Performance of Dynamic SS


<i>Iteration no.</i>	<i>Instructions</i>	<i>Issues</i>	<i>Executes</i>	<i>Writes result</i>
		<i>clock-cycle number</i>		
1	LD F0,0(R1)	1	2	4
1	ADDD (F4),F0,F2	1	5	8
1	SD 0(R1),(F4)	2	9	
1	SUBI R1,(R1),#8	3	4	5
1	BNEZ R1,LOOP	4	5	
2	LD F0,0(R1)	5	6	8
2	ADDD F4,F0,F2	5	9	12
2	SD 0(R1),F4	6	13	
2	SUBI R1,R1,#8	7	8	9
2	BNEZ R1,LOOP	8	9	

- 4 clocks per iteration

Branches, Decrements still take 1 clock cycle

Dynamic Branch Prediction

- Solution: 2-bit scheme where change prediction only if get misprediction *twice*




BHT Accuracy

- **Mispredict because either:**
 - **Wrong guess for that branch**
 - **Got branch history of wrong branch when index the table**
- **4096 entry table programs vary from 1% misprediction (nasa7, tomcatv) to 18% (eqntott), with spice at 9% and gcc at 12%**
- **4096 about as good as infinite table, but 4096 is a lot of HW**

Need Address @ Same Time as Prediction

- **Branch Target Buffer (BTB):** Address of branch index to get prediction AND branch address (if taken)
 - **Note:** must check for branch match now, since can't use wrong branch address



Branch Prediction:
Taken or not Taken

- **Return instruction addresses predicted with stack**

Dynamic Branch Prediction Summary

- **Branch History Table: 2 bits for loop accuracy**
- **Branch Target Buffer: include branch address & prediction**

HW support for More ILP

- **Avoid branch prediction by turning branches into conditionally executed instructions:**

if (x) then A = B op C else NOP


- If false, then neither store result nor cause exception
 - Expanded ISA of Alpha, MIPS, PowerPC, SPARC have conditional move; PA-RISC can annul any following instr.
 - EPIC: 64 1-bit condition fields selected so conditional execution
- **Drawbacks to conditional instructions**
 - Still takes a clock even if “annulled”
 - Stall if condition evaluated late
 - Complex conditions reduce effectiveness; condition becomes known late in pipeline

HW support for More ILP

- **Speculation**: allow an instruction to issue that is dependent on branch predicted to be taken *without* any consequences (including exceptions) if branch is not actually taken (“HW undo”)
- Often try to combine with dynamic scheduling
- Separate **speculative** bypassing of results from real bypassing of results
 - When instruction no longer speculative, write results (**instruction commit**)
 - execute out-of-order but commit in order

Dynamic Scheduling in PowerPC 604 and Pentium Pro

- Both In-order Issue, Out-of-order execution, In-order Commit



PPro central reservation station for any functional units with one bus shared by a branch and an integer unit

Dynamic Scheduling in PowerPC 604 and Pentium Pro

Parameter	PPC	PPro
Max. instructions issued/clock	4	3
Max. instr. complete exec./clock	6	5
Max. instr. committed/clock	6	3
Instructions in reorder buffer	16	40
Number of rename buffers	12 Int/8 FP	40
Number of reservations stations	12	20
No. integer functional units (FUs)	2	2
No. floating point FUs	1	1
No. branch FUs	1	1
No. complex integer FUs	1	0
No. memory FUs	1 1 load	+1 store

Dynamic Scheduling in Pentium Pro

- PPro doesn't pipeline 80x86 instructions
- PPro decode unit translates the Intel instructions into 72-bit micro-operations (- MIPS)
- Sends micro-operations to reorder buffer & reservation stations
- Takes 1 clock cycle to determine length of 80x86 instructions + 2 more to create the micro-operations
- Most instructions translate to 1 to 4 micro-operations
- Complex 80x86 instructions are executed by a conventional microprogram (8K x 72 bits) that issues long sequences of micro-operations

Limits to Multi-Issue Machines

◦ Inherent limitations of ILP

- 1 branch in 5: How to keep a 5-way VLIW busy?
- Latencies of units: many operations must be scheduled
- Need about Pipeline Depth x No. Functional Units of independent operations to keep machines busy

◦ Difficulties in building HW


- Duplicate FUs to get parallel execution
- Increase ports to Register File
 - VLIW example needs 7 read and 3 write for Int. Reg. & 5 read and 3 write for FP reg
- Increase ports to memory
- Decoding SS and impact on clock rate, pipeline depth

Limits to Multi-Issue Machines

- **Limitations specific to either SS or VLIW implementation**
 - Decode issue in SS
 - VLIW code size: unroll loops + wasted fields in VLIW
 - VLIW lock step => 1 hazard & all instructions stall
 - VLIW & binary compatibility is practical weakness

Braniac vs. Speed Demon


° 8-scalar IBM Power-2 @ 71.5 MHz (5 stage pipe)
vs. 2-scalar Alpha @ 200 MHz (7 stage pipe)




3 Recent Machines

	Alpha 21164	Pentium II	HP PA-8000
Year	1995	1996	1996
Clock	600 MHz ('97)	300 MHz ('97)	236 MHz ('97)
Cache	8K/8K/96K/2M	16K/16K/0.5M	0/0/4M
Issue rate	2int+2FP	3 instr (x86)	4 instr
Pipe stages	7-9	12-14	7-9
Out-of-Order	6 loads	40 instr (μop)	56 instr
Rename regs	none	40	56

SPECint95base Performance (Oct. 1997)



SPECfp95base Performance (Oct. 1997)



Summary

- **MIPS I instruction set architecture made pipeline visible (delayed branch, delayed load)**
- **More performance from deeper pipelines, parallelism**
- **Superscalar and VLIW**
 - **CPI < 1**
 - **Dynamic issue vs. Static issue**
 - **More instructions issue at same time, larger the penalty of hazards**
- **SW Pipelining**
 - **Symbolic Loop Unrolling to get most from pipeline with little code expansion, little overhead**