KING FAHD UNIVERSITY OF PETROLEUM & MINERALS DEPARTMENT OF MATHEMATICAL SCIENCES DHAHRAN, SAUDI ARABIA STAT 212: BUSINESS STATISTICS II

Semester 052 Mid Term Exam No.1 Saturday March 18, 2006 6:15 - 7:45 pm

Please **circle** your:

Instructor's name	&	secti	ion	numl	<u>ber</u>
Raid Anabosi		1		2	
Mohammad F. Saleh		3		4	
Mohammad H. Omar			5		
Studer	nt ID#	ŧ:			Serial #:

Directions:

Name:

- 1) You must **<u>show all work</u>** to obtain full credit for questions on this exam.
- 2) DO NOT round your answers at each step. Round answers only if necessary at **your final step to 4 decimal** places.

Question No	Full Marks	Marks Obtained
1	13	
2	10	
3	14	
4	9	
5	11	
6	13	
Total	70	

- 1. (13 marks = 2+3+2+1+2+1+1+1) From old records, it is believed that the average number of overtime hours for a company in Dammam is 20 hours per month. A random sample of 25 employees was selected and the number of overtime hours for each was registered. The sample gave an average of 24.75 and a standard deviation of 5.226. Do the data support the old records? Use the 2% significance level.
- a. The test hypotheses are:

	$H_{0}: \mu = 20$	VS	$H_A: \mu \neq$	= 20
	1pt		1pt	
b.	The assumptions are:			
	1. The population is nor	mally dist	ributed	1pt
	2. σ is unknown			1pt
	3. The sample size is sm	all		1pt

c. The critical value(s) is(are):

$$\pm t_{\frac{\alpha}{2},n-1} = \pm t_{\frac{0.02}{2},24} = \pm 2.492$$
 2pts

d. The decision rule is:

Reject
$$H_0$$
 if $|T_{cal}| > t_{\frac{\alpha}{2}, n-1} = 2.492$ other wise don't reject H_0

1pt

e. The test statistic is:

$$T_{cal} = \frac{(\overline{x} - \mu_0)\sqrt{n}}{s} = \frac{(24.75 - 20)\sqrt{25}}{5.226} = 4.54458$$

1pt=substitution 1pt

f. The decision is:

Since 4.54458 > 2.492, reject the null hypothesis. 1pt

g. Your conclusion is:

There is enough evidence to conclude that the average number of overtime hours for a company is different from 20 hours per month. 1pt

h. Based on your decision, what type of error you might have committed?

Type I error =rejecting a true null hypothesis1pt

- 2. (10 marks = 1+2+1+1+1+2+1+1) For the company in Dammam in the previous question (Question 1), test the hypothesis that the variance of the number of overtime hours for the company is less than 26.5 hours² (use 0.05 as significance level)
- a. The estimate of the overall variance of the number of overtime hours for the company is:

$$S^2 = (5.226)^2 = 27.311076$$
 1pt

b. The test hypotheses are:

$$H_0: \sigma^2 \ge 26.5$$
 vs $H_A: \sigma^2 < 26.5$
1pt 1pt

c. The assumption is:

The population is normally distributed. 1pt

d. The critical value(s) is (are):

$$\chi^2_{1-\alpha,n-1} = \chi^2_{1-0.05,25-1} = \chi^2_{0.95,24} = 13.84843$$

1pt

e. The decision rule is:

Reject H_0 if $\chi^2_{cal} < \chi^2_{1-\alpha,n-1} = \chi^2_{0.95,24} = 13.84843$, otherwise don't reject H_0 **1pt**

f. The test statistic is:

$$\chi_{cal}^{2} = \frac{(n-1)S^{2}}{\sigma_{0}^{2}} = \frac{(25-1)(5.226)^{2}}{26.5} = 24.7345594$$
1pt 1pt

g. The decision is:

Since 24.7345594 > 13.84843 (that is, test statistic is not in critical region), don't reject the null hypothesis. 1pt

h. Your conclusion is:

There is not enough evidence to conclude that the variance of the number of overtime hours for a company is less than 26.5 hours². 1pt

3. (14 marks =2+3+2+1+4+1+1) The Graystone Department Store study collected the following data on customer ages from random samples taken at two store locations:

Suburban Store
$n_2 = 11$
$\overline{x}_2 = 35$ years
$s_2 = 10$ years

The information is used by the store to tailor product sales by customer ages at the two locations. At 5% significant level, test if there is no difference between the mean customer ages of Inner-City stores and the mean customer ages of Suburban stores.

a. The test hypotheses are:

$$H_0: \mu_1 - \mu_2 = 0$$
 vs $H_A: \mu_1 - \mu_2 \neq 0$
1pt 1pt

- b. The assumptions are:
 - 1. The populations are normally distributed. **1pt**
 - 2. σ_1 and σ_2 are unknown.

3.
$$\sigma_1 = \sigma_2$$

- 4. The samples are small.
- 5. The samples are independent.
- c. The critical value(s) is (are):

$$\pm t_{\frac{\alpha}{2}, n_1 + n_2 - 2} = \pm t_{\frac{0.05}{2}, 19 + 11 - 2} = \pm t_{0.025, 28} = \pm 2.048$$
 2pts

d. The decision rule is:

Reject
$$H_0$$
 if $|T_{cal}| > t_{0.025,28} = 2.048$ other wise don't reject H_0 **1pt**
e. The test statistic is:

2pt for any 2

$$T_{cal} = \frac{(\bar{x}_1 - \bar{x}_2) - d_0}{s_p \sqrt{\frac{1}{n_1} + \frac{1}{n_2}}} \qquad where \quad s_p^2 = \frac{(n_1 - 1)s_1^2 + (n_2 - 1)s_2^2}{n_1 + n_2 - 2} = \frac{(19 - 1)9^2 + (11 - 1)10^2}{19 + 11 - 2}$$
$$= \frac{40 - 35}{9.3694 \sqrt{\frac{1}{19} + \frac{1}{11}}} \qquad = \frac{1458 + 1000}{28} = 87.7857 \Rightarrow s_p = 9.3694$$

=1.4085

1pt for s_p substitution, 1pt=s_p answer, 1pt=t_{cal} substitution, 1pt=final answer

f. The decision is:

Since 1.4085 < 2.048, don't reject the null hypothesis. 1

1pt

g. Your conclusion is:

There is not enough evidence to conclude that there is a difference between the mean customer ages of Inner-City stores and the mean customer ages of Suburban stores. 1pt

- 4. (9 marks = 2+1+1+1+2+1+1) In the previous question (question 3), test that there is no difference between the customers' age variance of Inner-City stores and of Suburban stores. Use 2% significance level.
 - a. The test hypotheses are: $H_0: \sigma_1^2 = \sigma_2^2$ vs $H_A: \sigma_1^2 \neq \sigma_2^2$ **1pt 1pt 1pt 1pt**
 - 1. The populations are normally distributed1pt2. The sample variances are independent1pt
 - c. The critical value(s) is(are):

$$F_{\frac{\alpha}{2},n_1-1,n_2-1} = F_{\frac{0.02}{2},11-1,19-1} = F_{0.01,10,18} = 3.508$$
 1pt

d. The decision rule is:

Reject
$$H_0$$
 if $F_{cal} > F_{0.01,10,18} = 3.508$ other wise don't reject H_0 1pt

e. The test statistic is:

$$F_{cal} = \frac{S_1^2}{S_2^2} = \frac{10^2}{9^2} = \frac{100}{81} = 1.2345679$$

1pt 1pt

f. The decision is:

Since 1.2346 < 3.508, don't reject the null hypothesis. **1pt**

g. Your conclusion is:

There is not enough evidence to conclude that there is a difference between the customers' age variance of Inner-City stores and of Suburban stores. 1pt

- 5. (11 marks = 1+2+2+2+2+1+1) Shell Oil office workers were asked which work schedule is most appealing: working five 8-hour days or four 10-hour days. A sample of 105 office workers showed that 67 **do not prefer** the four 10-hour day schedule. Do the given data suggest that Shell workers have no preference for one schedule over the other? Use the **p-value** approach with 1% significance level.
 - a. The sample proportion for the workers **preferring** four 10-hour days is:

$$\overline{p} = \frac{x}{n} = \frac{105 - 67}{105} = \frac{38}{105} = 0.3619$$
1pt

b. The test hypotheses are:

$$H_0: p = 0.5$$
 vs $H_A: p \neq 0.5$

No preference => prefer=don't prefer => p = 0.5

- c. The assumptions are:
 - $_{1.} np_o \ge 5 \Longrightarrow 105(0.5) = 52.5$ 1pt

2.
$$n(1 - p_o) \ge 5 \Longrightarrow 105(0.5) = 52.5$$
 1pt

d. The test statistic is:

$$Z_{cal} = \frac{\overline{p} - p_0}{\sqrt{\frac{p_0(1 - p_0)}{n}}} = \frac{0.3619 - 0.5}{\sqrt{\frac{0.5(1 - 0.5)}{105}}} = -2.8301$$

e. The p-value is:

$$p-value = 2P(Z > |z_{cal}|) = 2P(Z > 2.83) = 2[0.5 - 0.4977] = 0.0046$$

1pt 1pt

f. The decision is:

Reject H_0 if $p - value < \alpha = 0.01$ other wise don't reject H_0 Since 0.0046 < 0.01, reject the null hypothesis1pt

g. Your conclusion is:

There is enough evidence to conclude that Shell workers have a preference for one schedule over the other. (They don't like to work four 10-hour days). 1pt

6. (13 marks=1+2+2+1+1+4+1+1) An accounting firm has been hired by a large computer company to determine whether the proportion of accounts receivables with errors in one division (Division 1) exceeds that of the second division (Division 2). The managers believe that such a difference may exist because of the loose standards employed by the first division. To conduct the test, the accounting firm has selected random samples of accounts from each division with the following results.

	Division 1	Division 2
Sample size	$n_1 = 100$	$n_2 = 100$
Number of errors found	$x_1 = 13$	$x_2 = 8$
on this information was	a significance la	

Based on this information, use a significance level equal to 0.05 to help the accountants arrive at a decision. (Hint: you must answer each part below to arrive at the decision).

a. The pooled estimate for the overall proportion

$$\overline{p}_1 = \frac{x_1}{n_1} = \frac{13}{100} = 0.13, \quad \overline{p}_1 = \frac{x_1}{n_1} = \frac{8}{100} = 0.08$$
$$\overline{p} = \frac{x_1 + x_2}{n_1 + n_2} = \frac{x_1 + x_2}{n_1 + n_2} = \frac{13 + 8}{100 + 100} = \frac{21}{200} = 0.105 \quad \text{1pt}$$

b. The test hypotheses are:

 $H_0: p_1 - p_2 \le 0$ vs $H_A: p_1 - p_2 > 0$ **1pt 1pt**

- c. The assumption(s) is(are): $1.n_1\overline{p}_1 \ge 5 \Rightarrow 100(0.13) = 13 > 5$ and $n_1(1-\overline{p}_1) \ge 5 \Rightarrow 100(1-0.13) = 87 > 5$ $2.n_2\overline{p}_2 \ge 5 \Rightarrow 100(0.08) = 8 > 5$ and $n_2(1-\overline{p}_2) \ge 5 \Rightarrow 100(1-0.08) = 92 > 5$
 - d. The critical value(s) is(are):

 $Z_{\alpha} = Z_{0.05} = 1.645$ **1pt**

e. The decision rule is:

Reject H_0 if $Z_{cal} > Z_{0.05} = 1.645$ other wise don't reject H_0 1pt

f. The test statistic is:

$$Z_{cal} = \frac{\overline{p}_1 - \overline{p}_2}{\sqrt{\overline{p}\left(1 - \overline{p}\right)\left(\frac{1}{n_1} + \frac{1}{n_2}\right)}} = \frac{0.13 - 0.08}{\sqrt{0.105\left(1 - 0.105\right)\left(\frac{1}{100} + \frac{1}{100}\right)}} = \frac{0.05}{0.043353} = 1.15332$$

3pt

1pt

1pt

1pt

1pt

g. The decision is:

Since 1.15332 < 1.645, don't reject the null hypothesis

h. Your conclusion is:

There is not enough evidence to determine whether the proportion of accounts receivables with errors in Division 1 exceeds that of the second division (Division 2) 1pt

Page is intentionally left blank

