

 Chikrii Softlab



User Manual

Copyright © 1999-2003 Chikrii Softlab. All rights reserved.

March 8, 2003

Contents

1	Introduction	4
1.1	About Word2 $\text{T}_{\text{E}}\text{X}$	4
1.2	What For?	4
2	Getting Started	6
2.1	Overview	6
2.2	System Requirements	6
2.3	Installing Word2 $\text{T}_{\text{E}}\text{X}$	6
2.3.1	Word2 $\text{T}_{\text{E}}\text{X}$ Setup	6
2.3.2	Uninstalling Word2 $\text{T}_{\text{E}}\text{X}$	8
2.4	Upgrading from previous version	8
3	Basic Concepts	9
3.1	How do I use it?	9
3.2	Word2 $\text{T}_{\text{E}}\text{X}$ menu	10
4	How to Format Your Document	12
4.1	Overview	12
4.2	Guidelines	12
5	Customizing Word2$\text{T}_{\text{E}}\text{X}$ settings	16
5.1	General	16
5.1.1	Overview	16
5.1.2	Details	17
5.2	Preamble	19
5.3	Styles	21
5.4	Paragraph Styles	23
5.4.1	Overview	23
5.4.2	Details	23
5.5	Title	24
5.6	PDF $\text{T}_{\text{E}}\text{X}$	26
5.7	Characters/Symbols	27
5.7.1	Overview	27
5.7.2	Details	27

<i>CONTENTS</i>	3
5.8 Equations	29
5.8.1 Overview	29
5.8.2 Details	29
5.9 Function Translation	30
5.9.1 Overview	30
5.9.2 Details	31
5.10 Figures	32
5.10.1 Overview	32
5.10.2 Details	32
A Bibliography	34
B License Agreement	35
C Index	36

Chapter 1

Introduction

1.1 About Word2 $\text{T}_{\text{E}}\text{X}$

Word2 $\text{T}_{\text{E}}\text{X}$ is a converter designed in order to use with Microsoft Word¹ and enables Microsoft Word to save documents in $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ [2, 3, 4] format. This gives the opportunity to convert existing Microsoft Word documents to $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ and to create new $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ documents right in your mainstream word processor rather than requiring a completely separate editing environment. Using Word2 $\text{T}_{\text{E}}\text{X}$ in conjunction with Microsoft Word, you can easily create articles, technical reports, research papers, dissertations and even entire books for such hard and not always comfortable markup-based system as $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$. It doesn't, in fact, require that one even learn $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ in order to publish $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ papers, and so can save students and other newcomers to scientific publishing the long climb up the $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ learning curve and also can help $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ experts to save their time. Instead of inputting $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ commands, you can simply use Equation Editor (or MathType²) in Microsoft Word to create equations and you easily click and point to insert a picture or to make a table. Then you can convert your document into $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ format with the help of Word2 $\text{T}_{\text{E}}\text{X}$. Thus, Word2 $\text{T}_{\text{E}}\text{X}$ leverages your investment in Microsoft Word.

1.2 What For?

Why you may need your documents to be in $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ format? $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ is a de-facto standard in scientific publishing and most scientific publishers accept papers only in $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ format. $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ documents can be published not only on the paper, but on the Web using, for instance, $\text{P}_{\text{D}}\text{F}_{\text{T}}\text{E}_{\text{X}}$ ³ which compiles $\text{T}_{\text{E}}\text{X}/\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ documents directly to PDF (Portable Document Format

¹<http://www.microsoft.com>

²<http://www.mathtype.com>

³<http://www.tug.org/applications/pdftex/>

by Adobe⁴). Read more about Web publishing with PDF in Thomas Merz book [5], also it is highly recommended to visit BinaryThing.com⁵ which runs The ePublishing Network – network of interrelated sites dedicated to electronic publishing (ePublishing). To see samples of PDF documents created with Word2T_EX please visit Word2T_EX Samples⁶.

⁴<http://www.adobe.com>

⁵<http://www.binarything.com/>

⁶<http://www.chikrii.com>

Chapter 2

Getting Started

2.1 Overview

This chapter describes the steps you need to go through to get Word2 $\text{T}_{\text{E}}\text{X}$ up and running.

Word2 $\text{T}_{\text{E}}\text{X}$ system requirements and installation instructions are listed below. Although installing Word2 $\text{T}_{\text{E}}\text{X}$ is simply a matter of running its Setup program and following a few simple instructions, you may want to read this chapter first so you have a better understanding of Word2 $\text{T}_{\text{E}}\text{X}$ and its components.

2.2 System Requirements

In order to install and run Word2 $\text{T}_{\text{E}}\text{X}$, your computer must have:

- Microsoft Windows 95 or later (Windows 98, Me, NT, 2000, XP);
- The Word2 $\text{T}_{\text{E}}\text{X}$ converter is not independent application, but the add-in to Microsoft Word and it requires Microsoft Word 95 or later version (Microsoft Word 97, Word 2000, Word XP);
- A hard disk drive with at least 2 megabytes of free space.

2.3 Installing Word2 $\text{T}_{\text{E}}\text{X}$


Installing Word2 $\text{T}_{\text{E}}\text{X}$ is very simple – just run Word2 $\text{T}_{\text{E}}\text{X}$ Setup program (file: word2tex.exe) and follow its instructions.

2.3.1 Word2 $\text{T}_{\text{E}}\text{X}$ Setup

Once you have started Word2 $\text{T}_{\text{E}}\text{X}$ Setup, just follow the instructions presented to you. Following components will be installed:


- The Word2T_EX converter for Microsoft Word (file: word2tex.cnv);
- “Word2T_EX” submenu add-in for Microsoft Word (file: word2tex.wll);
- Word2T_EX Help (file: word2tex.hlp);
- Word2T_EX User Manual (file: word2tex.pdf);
- Word2T_EX Profile Manager which provides you with opportunity to import/export Word2T_EX settings to/from files (file: profman.exe);
- Word2T_EX license agreement (file: license.txt);
- Windows “Add/Remove Programs” uninstallation support (file: uninstall.exe).

You can find all these files in Word2T_EX Destination folder when Word2T_EX is installed.



If, for some reason, Microsoft Office/Word Startup folder wasn't correctly detected by Word2T_EX Setup, please enter right one with **Browse...** button.

To find the correct location for the Startup folder, choose **Options** on Word's **Tools** menu and select the **File Locations** tab. Alternatively, you can copy the file word2tex.wll manually to the Startup folder.



If Word2 $\text{T}_{\text{E}}\text{X}$ Setup has problems installing file `word2tex.wll` to the Startup folder, it might be because the Startup folder is marked read-only. Please contact your system administrator if this is the case.

If $\text{T}_{\text{E}}\text{X}$ option doesn't appear in Word's `File|Save As...` dialog, it might be because Microsoft Office/Word Text Converter folder is marked read-only. You may copy the file `word2tex.cnv` manually to Text converter folder (usually `Program Files\Common Files\Microsoft Shared\TEXTCONV`). After doing this you'll have to open any text file (it is important that this should be non-native Word doc) in Word and $\text{T}_{\text{E}}\text{X}$ option will appear.

2.3.2 Uninstalling Word2 $\text{T}_{\text{E}}\text{X}$

Word2 $\text{T}_{\text{E}}\text{X}$ Setup supports Windows "Add/Remove Programs" feature:

- Click the `Start` button, point to `Settings`, and then click `Control Panel`;
- Double-click `Add/Remove Programs`;
- Follow the instructions on your screen.

2.4 Upgrading from previous version

There's no need to uninstall Word2 $\text{T}_{\text{E}}\text{X}$ when upgrading to newer version, since Word2 $\text{T}_{\text{E}}\text{X}$ settings will be lost after uninstalling. Just install Word2 $\text{T}_{\text{E}}\text{X}$ as usual and all updates will be made automatically.


Chapter 3

Basic Concepts

3.1 How do I use it?

Once Word2 $\text{T}_{\text{E}}\text{X}$ installed, its operation is seamless, below is shown a three-step procedure of converting Microsoft Word document to $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$:


1. Start Microsoft Word (if it's not already running), open the document you want to convert by `File|Open...`;
2. Invoke `File|Save As...` dialog box and choose `TeX` format for saving;
3. Enter a file name for output $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ document and click `Save` button.




That's all! I told you it's easy. You'll say: "OK, what if I need some specific type of $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ format, for instance, $\text{R}^{\text{E}}\text{V}\text{T}_{\text{E}}\text{X}$ (Physical Society $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$)?" – Word2 $\text{T}_{\text{E}}\text{X}$ can be customized to create any type of $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ -based format!

Other Word2 $\text{T}_{\text{E}}\text{X}$ features can be accessed from pull-down menu `Word2 $\text{T}_{\text{E}}\text{X}$` in Microsoft Word.


3.2 Word2 $\text{T}_\text{E}\text{X}$ menu



Settings... Access Word2 $\text{T}_\text{E}\text{X}$ current settings dialog (Word2 $\text{T}_\text{E}\text{X}$ customization details are described in Chapter 5)




By default, this dialog will pop-up everytime you will convert document to $\text{L}_\text{A}\text{T}_\text{E}\text{X}$ via **File|Save As...**, but you can choose this dialog to pop-up only when you hold down left $\langle\text{CTRL}\rangle$ -key:



Import/Export Settings... You can import Word2 $\text{T}_\text{E}\text{X}$ settings from

file (*.wtp) using **Import** function or save current Word2T_EX settings to file (*.wtp) using **Export** function.



Alternatively you might want to import settings from file (*.wtp) right in Explorer or from e-mail message attachment simply by double-clicking on file.

Help Word2T_EX Help

Chapter 4

How to Format Your Document

4.1 Overview

Word2 \TeX will do its best to generate well-structured \LaTeX document, but you should know that properly structured & formatted Word source document is essential to a smooth conversion. Therefore, if you please follow the guidelines below in preparing your Word documents, it will result in a much higher-quality finished product.

4.2 Guidelines

Table of Contents (TOC) There's no need to include TOC in your document, since \LaTeX will generate the TOC automatically. Word2 \TeX replaces TOC with placeholder command which tells \LaTeX where to place TOC.

Headers Please use appropriate paragraph styles (i.e. Heading 1, Heading 2, ...) for headers. Word2 \TeX will automatically translate your first four levels of headers, and it is very easy to customize Word2 \TeX settings so that Word2 \TeX will translate any number of header levels. Please never hardcode (manually, by hand) header numbers, instead use Word's auto-numbering/bulleted features. Word2 \TeX will remove all the header numbers, since \LaTeX will number them automatically. Word2 \TeX will properly translate references to headers only if references were created by Word's Insert|Cross-reference..., not by hardcoding reference number. Please do not break headers with carriage return to create multiline headers, use `<SHIFT>-<ENTER>` for this (it is not recommended at all, since \TeX will do all hyphenations automatically). (This holds for all other headers as well.)

Indentation There is no need to indent either regular text or headers. $\text{T}_{\text{E}}\text{X}$ will handle the appropriate indentation for any situation.


Page/Section Breaks Word2 $\text{T}_{\text{E}}\text{X}$ will translate page & section breaks with no problems, but it is very rarely needed (if ever) to include such breaks in document. Remember that $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ will do all formatting automatically.

Running Heads Please do not include any running heads or headers/footers – they will be ignored by Word2 $\text{T}_{\text{E}}\text{X}$, since $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ will generate these automatically.

Footnotes Word2 $\text{T}_{\text{E}}\text{X}$ will translate footnotes, automatically numbered and formatted by Word’s Insert|Footnote....

Bibliographic Citations Word2 $\text{T}_{\text{E}}\text{X}$ will translate numbered bibliographic citations into a $\text{L}^{\text{A}}\text{T}_{\text{E}}\text{X}$ bibliography if they were created as endnotes.

Mathematical Expressions Word2 $\text{T}_{\text{E}}\text{X}$ will translate Equation Editor and MathType¹ equations, moreover, it will try to recognize simple mathematical expressions in regular text if they were *italicized*. It is highly recommended to use Equation Editor or MathType to create all mathematical expressions, both in-text (that is, nondisplayed: simple numerals, single variables, short expressions, etc.) and displayed equations (and numbered display equations too). Word2 $\text{T}_{\text{E}}\text{X}$ will detect type of equation (nondisplayed, displayed, numbered displayed) automatically. When creating equation in Equation Editor or MathType, please use Styles menu to mark text styles in equation (TEXT, VECTOR, FUNCTION, etc.):



Equation Numbers Equation numbers may be generated in one of two ways: as regular Word text or automatically via MathType. In both cases equation number must be at the right side of equation with no

¹Word2 $\text{T}_{\text{E}}\text{X}$ can handle equations created by any version of Equation Editor or MathType

text in between (there can be only spaces and tabulations). Please always use parentheses and periods (not dashes) when creating equation numbers; e.g., use “(1.1)” instead of “1–1”. Finally, when citing an equation in the text, please be sure to type (if you create equation numbers as regular text) the equation number exactly the way it appears in the actual equation. This will allow Word2T_EX to recognize it and convert it to an electronic reference.

Tables Word2T_EX converts tables of any structure, including nested tables (Word 2000 or later).

Figures Word2T_EX will convert all pictures and embedded objects (Excel charts, for example) to L^AT_EX figures. The only one type of pictures Word2T_EX can't handle is Word Drawings elements, but that's not the big problem to convert Word Drawings to regular picture: using the Select Objects arrow on the Drawing toolbar, please select all of the elements of the Word Drawing figure (including all text boxes), select Copy, open a new WordPad document (WordPad application is located in `Start|Programs|Accessories`), select Copy, return to Word, delete the old figure, and select Paste to place the converted figure.

Captions Word2T_EX will translate figure and table captions if they were created via Word's `Insert|Caption...` menu.

The easiest way to add consistent and correctly numbered captions is to use the `Auto-Caption...` option.

Electronic Citations Please include in-text citations to numbered items (header numbers, figure/table numbers), bibliographic citations using Word's `Insert|Cross-reference...`. This way, Word2T_EX will automatically label and reference numbered items and bibliographic cites in L^AT_EX.

Hyperlinks Word2T_EX will translate your hyperlinks (including relative hyperlinks). To insert hyperlinks please use Word's `Insert|Hyperlink`. L^AT_EX package `{hyperref}`, by Sebastian Rahtz, will be used.

Index Word2T_EX will automatically generate correct index in LaTeX if index entries were marked via Word's `Mark Entry...` in menu `Insert|Index and Tables...`.

Columns Word2T_EX translates multicolumn formatting created by Word's `Format|Columns...`. L^AT_EX package `{multicol}`, by Frank Mittelbach, will be used to represent multicolumn formatting, it allows to create up to 10 columns.

Annotations/Comments Word2T_EX will translate annotations/comments inserted with Word's Insert|Comment if appropriate option is turned on in Word2T_EX settings (see Chapter 5 for details).

Character attributes Word2T_EX will translate following character/font attributes²: SMALL CAPS, **Bold**, *Italic*, Underline (Double-underline, Waved-underline), Strikethrough (~~example~~), Double strikethrough (~~~~example~~~~), font size (tiny, scriptsize, footnotesize, small, large, **Large**, **LARGE**, **huge**, **Huge**), text marked as Hidden will be omitted by Word2T_EX (can be used for partial translation of document).

Colours Word2T_EX can handle both coloured text (ABC) and equations ($n = m \lfloor \frac{n}{m} \rfloor + n \bmod m$)³. L^AT_EX package {color}, by David Carlisle, is used.

²{ulem} package, by Donald Arseneau, is required for some attributes (Double-underline, Waved-underline, Strikethrough, Double strikethrough) if default Word2T_EX settings are used


³Applicable only to version 4.0 or later of Equation Editor and MathType

Chapter 5

Customizing Word2TeX settings

5.1 General

5.1.1 Overview



This dialog contains a number of various options that either didn't fit into appropriate dialog or they aren't specific to some big enough group of options that can fill in another Word2TeX dialog.

5.1.2 Details

Type of L^AT_EX Just specify type of L^AT_EX that is closer to the format you need (of course, L^AT_EX 2_ε is used by default). This option affects on the following Word2T_EX dialogs: **Preamble**, **Equations**, **Styles**.

Output document encoding Options in this group are dedicated to resulting L^AT_EX document encoding details.

End of line How you would prefer Word2T_EX to break lines of L^AT_EX document.

Don't wrap paragraphs Usually, Word2T_EX breaks paragraphs into lines. When this option is enabled, paragraphs in L^AT_EX document are written as one continuous line of text. This is very specific feature and it is disabled by default.

A_MS Enable this option if you need American Mathematical Society extensions. This option affects on the following Word2T_EX dialogs: **Preamble**, **Equations**, **Characters/Symbols**, **Styles**.

HyperT_EX If this option is enabled Word2T_EX translates hyperlinks to L^AT_EX using `{hyperref}` package, otherwise, hyperlinks are translated as regular text.

Equations Word2T_EX detects numbered displayed equations automatically whether they were created with MathType Commands macros or as regular text. Moreover, Word2T_EX can translate references automatically in both cases.

First numbered equation label Numbered displayed equations must be labeled for further referencing. This option defines a starting number for automatically generated label names. It's especially convenient when translating huge documents part by part.

Translate references to equations This option turns on/off automatic translation of equation referencing.

Recognize inline equations in text Typing variable names as regular *italicized* text (like x) instead of creating memory-wasting Equation Editor or MathType equation is common thing. Word2T_EX will do its best to recognize such cases if this option is enabled.

Compatibility options

Put all tables at the end of the document If this option is enabled Word2T_EX emits all tables at the end of the document.

Put all figures at the end of the document If this option is enabled Word2TEX emits all figures at the end of the document.

Tables

Table scaling coefficient Since Word internally represents all table dimensions (like column widths, for example) in fixed values which were applicable for font dimensions you used in your table it is sometimes just impossible to translate table dimensions automatically. A little help from you is required in this case, please use this ruler to control proportional scaling of all table dimensions.

Use `{longtable}` package If you have multipage tables in your document it might be helpful to enable this option, Word2TEX will use `{longtable}` package for representing tables in L^AT_EX then.

Always translate justifications Word2TEX translates paragraph (this option is applicable only to paragraphs inside table) alignment only if this option is enabled.

Other

Translate text/equation colour Word2TEX translates colours in text and in mathematical expressions if this option is enabled. By default it is disabled.

Translate font size If this option is enabled, Word2TEX translates font size according to the following simple rules:


Font size in Word (points)	L ^A T _E X attribute
≤ 4	<code>\tiny</code>
> 4 and ≤ 6	<code>\scriptsize</code>
> 6 and ≤ 7	<code>\footnotesize</code>
> 7 and ≤ 9	<code>\small</code>
≥ 14 and < 16	<code>\large</code>
≥ 16 and < 18	<code>\Large</code>
≥ 18 and < 24	<code>\LARGE</code>
≥ 24 and < 36	<code>\huge</code>
≥ 36	<code>\Huge</code>

Translate comments If this option is enabled, Word2TEX translates annotations/comments inserted with Word's `Insert|Comment` to footnotes.

Use `{multicol}` package If this option is enabled, Word2TEX translates multicolumn formatting using `{multicol}` package.

When this dialog box should popup? Please see Chapter 3 for details on options in this group.

5.2 Preamble



In simple words, document preamble is a set of commands before `\begin{document}` instruction:

```
<document preamble>
\begin{document}
<document body>
\end{document}
```

Required \LaTeX packages are included here and also everything that have to be applied to a whole document (paper size, for example).

Word2 \TeX will emit document preamble exactly as you'll define it in dialog shown above with only one helpful exception – conditional processing.

Conditional processing is implemented by two macros: `%IfRequired` and `%IfNotRequired`. These macros have one mandatory parameter, both macro name and parameter name are case-sensitive. Macro must start at the beginning of the line and must have the following syntax:

```
<macro>{<parameter>}_<text>
```

Symantic meaning of `%IfRequired` and `%IfNotRequired` macros are absolutely opposite:

%IfRequired In the case when a hypothesis associated with `<parameter>` is true, `<text>` will be emitted for this preamble line. If hypothesis is false, this preamble line will be omitted.


%IfNotRequired In the case when a hypothesis associated with `<parameter>` is false, `<text>` will be emitted for this preamble line. If hypothesis is true, this preamble line will be omitted.

Possible parameter values and their associated hypothesis (term “document” below means resulting L^AT_EX document) are:

Parameter	Associated hypothesis
<code>bib</code>	Document has bibliography.
<code>color</code>	Document requires <code>{color}</code> package.
<code>graphicx</code>	Document has figure inclusions.
<code>graphics</code>	Document has figure inclusions ¹ .
<code>ulem</code>	Document uses non-standard text attributes (one of the following: Double-underline, Waved-underline, Strikethrough, Double strikethrough).
<code>multicol</code>	Document requires <code>{multicol}</code> package.
<code>tab</code>	Document has <code>\tab</code> commands.
<code>index</code>	Document has index entries.
<code>hyperref</code>	Document requires <code>{hyperref}</code> package.
<code>longtable</code>	Document requires <code>{longtable}</code> package.

¹That’s it, just exactly the same as for `graphicx`

5.3 Styles



LaTeX paragraph styles Word2TeX maps Word’s “Heading 1”, “Heading 2”, “Heading 3” and “Heading 4” paragraph styles to LaTeX header styles defined in this group. Referencing and suppression of explicit font attributes² is applied automatically. Word2TeX can easily process unlimited number of heading levels, see **Paragraph Styles** dialog description.

Equation text styles Translations for equation text styles “Text” and “Vector”.

Bibliography environment Endnotes are translated to bibliography items and references to endnotes are translated to `\cite` LaTeX commands. This option defines the name of LaTeX environment where bibliography items should be enclosed.

Table placement specifier The placement specifier tells LaTeX where to place the table. If no placement specifier is given, standard classes assume `[tbp]`. Below is a short description of common specifier components (for more information please refer to [2, 3, 4]):

²See **ExStyles** dialog description for details on what is that.

Specifier	Meaning
h	here
t	at the top of a page
b	at the bottom of a page
p	on a special page containing only floats

Caption style name Captions of figures & tables are represented in Word document as paragraphs with “Caption” style. Actual name of this paragraph style differs in localized Word versions and because of that you should enter real name of this style in this option for proper translation of captions and also for referencing to figures & tables³.

Character text styles L^AT_EX translations (opening and closing strings) for all character attributes that Word2T_EX can handle.


L^AT_EX figure inclusion template You’ll need to read about **Figures** dialog to understand what this group of options is really about. If you already read it, here it is. This group contains two figure inclusion templates – strings that will be emitted on a place of figure while substitution for Word2T_EX figure inclusion macros will be doing on the fly. First template is used for figures converted by built-in figure converter and the second will be used for figures generated by PostScript printer driver. Below is a description of all possible figure inclusion macros:

Macro	Description
%x1	bounding box left
%y1	bounding box top
%x2	bounding box right
%y2	bounding box bottom
%width	image width
%height	image height
%xscale	horizontal scaling factor (already in PS metrics)
%yscale	vertical scaling factor (already in PS metrics)
%filename	converted file name (i.e., sample1.eps, sample1.pdf)
%sourcefilename	original file name (i.e., sample1.wmf, sample1.png)

³Word inserts references to captions, not to figures/tables.

5.4 Paragraph Styles

5.4.1 Overview



This dialog provides you with opportunity to map Word document paragraph styles to L^AT_EX environments, heading styles, commands, whatever you need.

It is important that paragraph style names should be entered here exactly as they appear in `Format|Style...`. Nevertheless, mismatches (e.g., nOrmal) will be understood by Word2T_EX correctly.

5.4.2 Details

Translate paragraph styles If this option is disabled no style translation will be provided at all.

New... Add new paragraph style.

Delete... Remove paragraph style from translation table.

Style translation Actual translation rules for current paragraph style are defined and can be modified in this group of options.

Prefix This is what will be emitted before paragraph body. If this string ends with '{', Word2T_EX doesn't break the line before and after paragraph body.

Suffix This is what will be emitted after paragraph body.


Translate references for this style If this option is enabled Word2 $\text{T}_\text{E}\text{X}$ translates references for this paragraph style automatically.

Suppress explicit style attributes If this option is enabled Word2 $\text{T}_\text{E}\text{X}$ suppresses all explicit font attributes for this style. This helps to avoid cases like:

$$\backslash\text{paragraph}\{\backslash\text{textit}\{\dots\}\}$$

Move to preamble If this option is enabled Word2 $\text{T}_\text{E}\text{X}$ emits translation for this paragraph not on the place where it appears in Word document, but after document preamble and before $\backslash\text{begin}\{\text{document}\}$.

5.5 Title



Title is what will be emitted right after $\backslash\text{begin}\{\text{document}\}$ if **Make title** option is enabled. You may place here any $\text{L}^{\text{A}}\text{T}_\text{E}\text{X}$ code that you want to be at the beginning of your document body⁴. Title is generated on the base of **Title template** and values from Word's **File|Properties** dialog.


⁴Title page automatic creation is just a simple example of what you can do with the help of this dialog.

To place these values into title use the following title macros in Title template:

Macro	Value
<code>%Title</code>	“Title” text.
<code>%Subject</code>	“Subject” text.
<code>%Author</code>	“Author” text.
<code>%Manager</code>	“Manager” text.
<code>%Company</code>	“Company” text.
<code>%Operator</code>	This value isn’t presented in Word’s dialog, that’s actual user name.
<code>%Category</code>	“Category” text.
<code>%Comment</code>	“Comment” text.
<code>%Hlinkbase</code>	“Hlinkbase” text.

The important point is that text that Word2T_EX gets for title macro will be emitted AS IS, without any translation (if “\LaTeX book” in “Title”, you’ll have exactly the same code in title which will look nice when L^AT_EX document will be compiled: “L^AT_EXbook”).

5.6 pdf \TeX



When preparing a document for PDF \TeX it might be useful to include some PDF \TeX -specific commands into document preamble. This dialog is intended just right for this case. If Emit PDF \TeX preamble after document preamble option is enabled Word2 \TeX emits this text AS IS (without any processing) after document preamble.

For example, this document⁵ has following PDF \TeX preamble:


```
\pdfcompresslevel9
\hypersetup{pdfborder=0_0_0}
\pdfinfo
{
/Title_(word2tex.pdf)
/Creator_(Chikrii_Softlab)
/Producer_(Chikrii_Softlab)
/Author_(Kirill_A._Chikrii)
/Subject_(Word2TeX_User_Manual)
/Keywords_(word2tex,microsoft,word,tex,latex,equation,
editor,mathtype)
}
%_Adobe_Acrobat_Reader|View_-"Actual_Size"
\pdfcatalog
```

⁵Word2 \TeX User Manual

```
{/OpenAction [ [ 5 0 0 R /XYZ null 846 1.0 ] ] }
```

5.7 Characters/Symbols

5.7.1 Overview



This dialog defines how Word2T_EX will translate characters⁶. If, for some reason, character translation database (which can be accessed/modified via this dialog) doesn't have some character that you use in your document, Word2T_EX uses current codepage encoding⁷ of this character for translation.

Word2T_EX identifies characters by their MTCODE⁸ encoding (16-bit hexadecimal number), which corresponds to `code` field in this dialog.

5.7.2 Details

Unicode range All characters (there are 2^{16} possible codes) are splitted to ranges (subsets) and this option lets you easily navigate in character translation database. Just click it and choose range you need.

⁶Term "character" means here not only regular text characters, but also all mathematical symbols in equations created by Equation Editor or MathType, all other symbols inserted with `Insert|Symbol...` or in any other way.

⁷For MBCS (Japanese Word, etc.) Shift-JIS representation is used.

⁸MathType's superset of Unicode. For more information on MTCODE please refer to <http://www.mathtype.com>. For more information on Unicode please refer to <http://www.unicode.org> or to [6].

Text-mode translation Translation for selected character that is used if it appears in regular text (or, to be precise, not in mathematical expression). Do not fulfill this field with some surrogate translation, if character is assumed to appear in math (for example, never use \alpha here, Word2 \TeX will build something similar if there is no better choice). The reason (actually one of reasons) is that Word2 \TeX can recognize mathematical expressions (of all types: in-text, displayed equation and numbered displayed equation) if you do not use Equation Editor nor MathType and knowledge that character is some part of mathematical expression is very important.

Math-mode translation Translation for selected character that is used if it appears in mathematical expression. In then case when \mathcal{AMS} option in **General** Word2 \TeX dialog is enabled this translation is used only if there's no \mathcal{AMS} translation (see below).

\mathcal{AMS} **Math-mode translation** Translation for selected character that is used if it appears in mathematical expression and \mathcal{AMS} option in **General** Word2 \TeX dialog is enabled.

New... Word2 \TeX will ask you for character code and then will add this character to character translation database with empty translations for all modes and then will make this character selected so that you can define translations. In the case this character was already defined in character translation database, Word2 \TeX will just select it (this is the same as option below).


Go to... Word2 \TeX will ask you for character code and will select it (if there's such character in database). Unicode range will change too, if this character code corresponds to range other than current.

Delete... Removes selected character from database. You can only remove characters defined by you.

Factory settings... Resets whole character translation database to initial state – all character translations defined by you will be lost!

5.8 Equations

5.8.1 Overview



This dialog is dedicated to translation aspects of mathematical expressions created by Equation Editor or MathType.

Equations (mathematical expressions) are built from symbols (this case is covered in dialog **Characters/Symbols**), templates (for example, fraction, integral) and embellishments (for example, prime). Details of MathType equation structure aren't explained here. Visit <http://www.mathtype.com> for detailed description of TDL (Design Science Translator Definition Language) and equation structure.

5.8.2 Details

Translation definitions Structured tree of all possible equation construction elements.

Rule inheritance Word2T_EX shows on this picture the sequence in which it will try to find appropriate translation rule.

Figure Word2T_EX shows on this picture how current template/embellishment looks in Equation Editor/MathType. Symbol '%' shows where parameter(s) appear.

Description Text description of current template/embellishment.

TDL name Translator Definition Language keyword for current template or embellishment.

Compatibility Shows in which equation creation tool (Equation Editor, MathType) current template or embellishment is implemented.

Factory settings Returns all translation definitions to defaults.

$\text{T}_\text{E}\text{X}$ Plain- $\text{T}_\text{E}\text{X}$ translation of current template/embellishment.

$\mathcal{A}\mathcal{M}\mathcal{S}\text{-T}_\text{E}\text{X}$ $\mathcal{A}\mathcal{M}\mathcal{S}\text{-T}_\text{E}\text{X}$ translation of current template/embellishment.

$\text{L}^{\text{A}}\text{T}_\text{E}\text{X}$ $\text{L}^{\text{A}}\text{T}_\text{E}\text{X}$ translation of current template/embellishment.


$\mathcal{A}\mathcal{M}\mathcal{S}\text{-L}^{\text{A}}\text{T}_\text{E}\text{X}$ $\mathcal{A}\mathcal{M}\mathcal{S}\text{-L}^{\text{A}}\text{T}_\text{E}\text{X}$ translation of current template/embellishment.

$\text{L}^{\text{A}}\text{T}_\text{E}\text{X } 2_\epsilon$ $\text{L}^{\text{A}}\text{T}_\text{E}\text{X } 2_\epsilon$ translation of current template/embellishment.

$\mathcal{A}\mathcal{M}\mathcal{S}\text{-L}^{\text{A}}\text{T}_\text{E}\text{X } 2_\epsilon$ $\mathcal{A}\mathcal{M}\mathcal{S}\text{-L}^{\text{A}}\text{T}_\text{E}\text{X } 2_\epsilon$ translation of current template/embellishment.

5.9 Function Translation


5.9.1 Overview



Properly formatted mathematical expression looks better if special commands is used for names of mathematical functions and operators instead of representing them as regular text. Consider the following example:

Right	Wrong
$\sin \alpha$	$\sin \alpha$
$\sin \alpha$	$\sin \alpha$

Both Equation Editor and MathType⁹ provide you with opportunity to format function names via **Styles|Function** menu:



Word2TeX translates function names to translations defined in this dialog even if they weren't marked with **Function** style.

5.9.2 Details

Translate mathematical functions If this option is disabled Word2TeX does not translate function names.

New... Creates new function.

Delete... Removes function name from translation table.


Factory settings... Restores translation table to initial state.

Translation You can enter/edit translation string here.

⁹MathType does this job automatically!

5.10 Figures

5.10.1 Overview



Word2 $\text{T}_\text{E}\text{X}$ provides two ways to convert figures: by rendering them to bitmap using built-in converter (raster image, limited quality) and by rendering them via PostScript printer driver (perfect quality, no hardware like PostScript printer is actually required, only driver of some high-quality PostScript printer should be installed).

5.10.2 Details

Figure Converter behaviour This tells Word2 $\text{T}_\text{E}\text{X}$ what to do with figures.

Ignore figures Omit all figures.

Just extract figures from the document in original format

Extract figures from Word document and save them in the same format as they were stored (WMF, EMF, BMP, GIF, JPEG, PNG).

Convert figures The same as previous, but also convert all figures.

Convert figures (don't keep a copy in original format)

The same as previous, but also remove original (unconverted) figures after they get converted.

Convert to Most common graphical format for \LaTeX figures is EPS (Encapsulated PostScript), but available \PDF\TeX versions do not accept EPS figures, nevertheless, they accept Encapsulated PDF. For your convenience \Word2TeX provides you with both formats, just choose one that you need.

First figure # Since each figure is placed in separate file it is highly recommended to store output \LaTeX documents in different folders. Names for these files are generated automatically: *figN*.eps (extension can be .pdf when converting figures to Encapsulated PDF), where 'fig' component is generated on the base of your document filename and **N** is a number of that figure in the document, but to avoid overwriting of files just mentioned, by figures of other document, it is wise to number figures in each document within some unique range. This parameter defines first figure number.

Figure placement specifier The placement specifier tells \LaTeX where to place the figure. Placing specifier syntax is explained in **Styles** \Word2TeX dialog.

Vector images processing This group of options is applicable only to non-raster images (WMF, EMF).

Rasterize Figures are converted by built-in converter if this option is enabled.

Fill bitmap background with Windows metafiles (WMF, EMF) might not have any background, choose background color in this option.

horizontal resolution Horizontal resolution, dots-per-inch.

vertical resolution Vertical resolution, dots-per-inch.

Convert bitmap to Level of PostScript language. Some printers might not understand Level 2.

Use Encapsulated PostScript Printer Figures are converted via PostScript printer if this option is enabled. To convert figures via PostScript printer you should have some PostScript printer installed (only driver is actually required) and should choose this printer in **Printer to use** option.

Appendix A

Bibliography

- [1] Donald E. Knuth, *The T_EXbook*, Addison Wesley Publishing Company, 1986, ISBN-0-201-13447-0.
- [2] Leslie Lamport, *L^AT_EX: A Document Preparation System*, Addison-Wesley, 2nd edition, 1994, ISBN 0-201-52983-1.
- [3] Goossens, Mittelbach and Samarin, *The L^AT_EX Companion*, Addison-Wesley, ISBN 0-201-54199-8.
- [4] David F. Griffiths & Desmond J. Higham, *Learning L^AT_EX*, SIAM Publications, ISBN 0-89871-383-8.
- [5] Thomas Merz, *Web Publishing with Acrobat/PDF*, Springer-Verlag, 1997, ISBN 3-540-63762-1.
- [6] *The Unicode Standard*, Addison-Wesley, ISBN 0-201-48345-9.

Appendix B

License Agreement

License Grant

The accompanying Software and User Manual are proprietary products owned by Chikrii Softlab, and protected under U.S. and international copyright law. Except as authorized under this License Grant, the Software may be used only on computers owned, leased, or otherwise controlled by you. You may not reverse assemble, reverse compile, or otherwise translate the Software.

You may make copies of the software for backup purposes. Except as authorized under this License Grant, no copies of the Software or the User Manual may be made by you or any person under your authority or control.

Use of Software by a commercial organisation for providing document translation services to any third party requires Professional License from Chikrii Softlab if any payment is made in connection with such services.

Limited Warranty

Chikrii Softlab makes no warranties, including warranties of merchantability and fitness for a particular purpose. Any remedy under this warranty is limited to return of the software and the user manual to the dealer or to Chikrii Softlab for replacement or refund. Refund can be performed only before unlock code(s) for Software was (were) generated. This warranty is valid for 90 days from your date of purchase. Chikrii Softlab excludes any warranty coverage for incidental or consequential damages. Some states do not allow limitations on implied warranties, so some of the above limitations may not apply to you.

Appendix C

Index

L^AT_EX packages

- `{color}`, 15, 20
- `{hyperref}`, 14, 17, 20
- `{longtable}`, 18, 20
- `{multicol}`, 14, 18, 20
- `{ulem}`, 15

L^AT_EX

- document preamble, 19

Word2T_EX macro

- `%Author`, 25
- `%Category`, 25
- `%Comment`, 25
- `%Company`, 25
- `%Hlinkbase`, 25
- `%IfNotRequired`, 19, 20
- `%IfRequired`, 19
- `%Manager`, 25
- `%Operator`, 25
- `%Subject`, 25
- `%Title`, 25
- `%filename`, 22
- `%height`, 22
- `%sourcefilename`, 22
- `%width`, 22
- `%x1`, 22
- `%x2`, 22
- `%xscale`, 22
- `%y1`, 22
- `%y2`, 22
- `%yscale`, 22

Word2T_EX Setup

- Word2T_EX Destination folder, 7
- Microsoft Office/Word Startup folder, 7
- Microsoft Office/Word Text Converter folder, 8

Files

- *.wtp, 11
- license.txt, 7
- profman.exe, 7
- uninstall.exe, 7
- word2tex.cnv, 7, 8
- word2tex.exe, 6
- word2tex.hlp, 7
- word2tex.pdf, 7
- word2tex.wll, 7, 8

How to Format Your Document in Microsoft Word

- Annotations, 15
- Bibliographic Citations, 13
- Captions, 14
- Character attributes, 15
- Colours, 15
- Columns, 14
- Comments, 15
- Electronic Citations, 14
- Equation Numbers, 13
- Figures, 14
- Footnotes, 13
- Headers, 12
- Hyperlinks, 14
- Indentation, 13
- Index, 14
- Mathematical Expressions, 13
- Page/Section Breaks, 13
- Running Heads, 13
- Table of Contents, 12
- Tables, 14