

Questions from old Exams

1 Section 4.2

1. Sketch the graph of $g(x) = -\left(\frac{1}{3}\right)^x + 3$. Write down the range of g and all asymptotes (if any).
2. Given $f(x) = \left(\frac{1}{3}\right)^{x-2} - 1$.
 - (a) Applying translations to the graph of the function $\left(\frac{1}{3}\right)^x$, Sketch the graph of $f(x)$.
 - (b) Find the x- and y-intercepts of $f(x)$.
3. Given $f(x) = -\left(\frac{2}{3}\right)^x + 2$.
 - (a) Decide whether f is an increasing or a decreasing function.
 - (b) Find the y-intercept of f .
4. Simplify the expression $(e^x + e^{-x})^4 - (e^x - e^{-x})^4$.
5. Find the equation of the form $y = a^x$ whose graph contains the point $(3, 8)$.
6. If $f(x) = a^x$ and $f(-2) = \frac{1}{3}$, then find $f(6)$.
7. If $f(t) = 3^{2-t}$ is written in the form $f(t) = ka^t$, then find the value of k and a .
8. Find the Domain and the Range of $f(x) = \frac{e^x + e^{-x}}{2}$.
9. Find the solution set of the inequality $x^2 e^x - 2x e^x > 0$.
10. Given $f(x) = 3^{x+1}$ and $g(x) = \left(\frac{1}{3}\right)^{x+5}$, then which of the following statements is TRUE?
 - (a) $g(x)$ is an increasing function.
 - (b) $f(x)$ is an decreasing function.
 - (c) The range of $f(x)$ is $[0, \infty)$.
 - (d) The domain of $g(x)$ is $[0, \infty)$.
 - (e) The graph of $f(x)$ and $g(x)$ intersect at $\left(-3, \frac{1}{9}\right)$.

2 Section 4.3

1. Let $f(x) = \log_{\frac{1}{2}}(3 - x)$.
 - (a) Applying translations and reflections to the graph of the function $\log_{\frac{1}{2}} x$, sketch the graph of $f(x)$.
 - (b) Find the Domain, the Range, and the Asymptote(s), if any, of the function $f(x)$.
 - (c) Find the inverse function $f^{-1}(x)$.
2. For $a > 0$, $a \neq 1$, and $x > 1$, find the exponential form of the expression $y = \log_a(x - 1)$.

3. Given $f(x) = -\log_{\frac{1}{3}}(x + 9) - 1$.
- Find the x- and y-intercepts of $f(x)$.
 - Graph $f(x)$.
 - Find the domain and the range of $f(x)$.
 - Find the equation of the asymptote of the graph of $f(x)$.
4. Given $f(x) = -\frac{1}{2} + \log_9(1 - 2x)$.
- Find the domain and the range of $f(x)$.
 - Find the asymptote (if any) of $f(x)$.
 - Find the x- and y-intercepts of $f(x)$.
5. Find the Domain and the Range of the function $y = -|\log_{\frac{1}{2}} x^2| + 1$.
6. The following figure is the graph of:
- $f(x) = \log(x - 1)$.
 - $f(x) = -\log|x|$.
 - $f(x) = \log(1 - x)$.
 - $f(x) = \log(-x)$.
 - $f(x) = -\log(-x)$.
7. Find the domain of the function $y = \log(1 - x^2)$.
8. Find the x- and y-intercepts of $y = \log_3(2x + 1) - 2$.
9. If $f(x) = \log(2x - 1) - 3$, then find $f^{-1}(-2)$.
10. The following figure represents the graph of:
- $y = \log_{\frac{1}{4}}(x - 1)$.
 - $y = \log_{\frac{1}{3}}(x + 1)$.
 - $y = 2^{-x+1} - 6$.
 - $y = 3^{-x+1} - 4$.
 - $y = -3^{-x+1} + 2$.
11. The following figure represents the graph of:
- $y = x \ln x$.
 - $y = \frac{\ln x}{x}$.
 - $y = |\ln x|$.
 - $y = \ln|x|$.

(e) $y = \frac{x}{\ln x}$.

12. The following figure represents the graph of:

(a) $y = \log_4(x - 2)$.

(b) $y = \log_4(2 - x)$.

(c) $y = \log_4|2 - x|$.

(d) $y = \log_{\frac{1}{4}}(x - 2)$.

(e) $y = \left| \log_{\frac{1}{4}}(x - 2) \right|$.

13. The following figure represents the graph of:

(a) $y = \log_2(x - 1)$.

(b) $y = \log_{\frac{1}{2}}(1 - x)$.

(c) $y = \log_2(1 - x)$.

(d) $y = \log_{\frac{1}{2}}(x - 1)$.

(e) $y = \ln(1 - x)$.

14. The following figure represents the graph of:

(a) $y = \log_3(2 + x)$.

(b) $y = \log_{\frac{1}{3}}(2 - x)$.

(c) $y = \log_3(3 - x)$.

(d) $y = \log_{\frac{1}{3}}(3 - x)$.

(e) $y = \log_{\frac{1}{3}}(3 + x)$.

15. The following figure represents the graph of:

(a) $y = 1 + \log_2|x - 1|$.

(b) $y = 1 + \log_2|x - 2|$.

(c) $y = 1 + \log_2\left|x - \frac{3}{2}\right|$.

(d) $y = \log_2|x - 1|$.

(e) $y = -1 + \log_2|x - 1|$.

16. Let $f(x)$ be a logarithmic function such that $f(2) = 3$. Find the value of $f(4)$.

3 Section 4.4

1. If $f(x) = e^x - e^{-x}$, then find the value of $f(2 \ln 3)$.
2. Write the following as a single logarithmic function and simplify your answer if possible. (Assume $x > 0$, $y > 0$, and $z > 0$)
 - (a) $3 \log_2 (y^2 z) - 2 \log_2 (xy^2) + \log_2 (x^3 y z^4)$.
 - (b) $1 + \log_2 (x^2 y^3) - \frac{1}{2} \log_2 (x^6 y^4)$.
 - (c) $5 \log_3 x - 8 \log_9 y + \log_{\sqrt{3}} z + 1$. (with a base of 3).
 - (d) $3 \log_2 x - \log_{\sqrt{2}} y + \log_4 z^2$. (with a base of 2).
3. Find the value of the following:
 - (a) $\ln \left(\frac{1}{e^3}\right) + e^{\ln 7}$.
 - (b) $2 \log_3 \sqrt{18} - \log_3 2$.
 - (c) $(\log_3 64) (\log_4 \sqrt{3}) - (\sqrt[3]{10})^{-3 \log 5}$.
 - (d) $\log_8 \frac{\sqrt[3]{16}}{4}$.
 - (e) $[\log_9 35 - \log_9 7] \cdot [\log_5 9]$.
 - (f) $[\sqrt{2}]^{\frac{\log 9}{\log 2}}$.
 - (g) $(\log_5 16) (\log_2 \sqrt{5}) - (\sqrt{e})^{-6 \ln 2}$.
 - (h) $2 \log 5 + \frac{1}{2} \log 16$.
 - (i) $\ln (\ln e) + e^{-2 \ln \sqrt{5}}$.
4. If $\log 2 = x$ and $\log 3 = y$, then write 1) $\log \left(\frac{9}{25}\right)$ 2) $\log 75$ in terms of x and y .
5. If $\log_2 5 = x$ and $\log_2 3 = y$, then write $\log_{\sqrt{2}} 300$ in terms of x and y .
6. If $\log_c 2 = \frac{2}{3}$, then find $\log_8 c$.
7. If $\ln 2 = x$ and $\ln 10 = y$, then write $\ln 16000 + \ln 5$ in terms of x and y .
8. If $\log 0.04 = x$, then write $\log 80$ in terms of x .
9. If $\ln 2 = 0.7$ and $\ln 3 = 1.1$, then find the value of 1) $\log_{36} \left(\frac{e^3}{12}\right)$ 2) $\log_{\frac{3}{2}} \frac{4e^2}{27}$.
10. If $\log x = 2$, $\log y = 3$, and $\log z = 5$, then find $\log \frac{x^3 y}{\sqrt{z}} - \log_x z$.
11. If $\log 2 = a$, and $\log 3 = b$, then write $\log_4 60$ in terms of a and b .
12. If $\log_3 a = \frac{1}{3}$, then find $\log_a \left(\frac{1}{9}\right)$.
13. If $\ln 2 = x$ and $\ln 6 = y$, then write $\log_9 4$ in terms of x and y .
14. If $\log_2 (x - 1) = \frac{1}{2}$, then find the value of $\log_2 (2x^2 - 4x + 2)$.

15. If $a > 0$, $a \neq 1$, and $y = \frac{\log(\ln a)}{\log a}$, then find a^y .
16. Find the value of $\ln \ln e^{e^{x+3}} - e^{\ln x}$.
17. Write $\log_8 e^3 x$ in terms of $\ln x$.
18. Write $\log_a \frac{1}{x}$ in terms of \log with base $\frac{1}{a}$.
19. Which one of the following is FALSE?
- (a) $\ln e^x = x$ for any real number x .
 - (b) $e^{\ln x} = x$ for any real number x .
 - (c) $\ln \frac{1}{10} < \ln \frac{1}{3}$.
 - (d) $\log_{\frac{1}{3}} 4 > \log_{\frac{1}{3}} 5$.
 - (e) $g(x) = \left(\frac{1}{3}\right)^{-x}$ is an increasing function.
20. If $x > 0$, then which one of the following is TRUE?
- (a) $\log(1+x) = \frac{x}{1+x}$.
 - (b) $\log(1+x) < \frac{x}{1+x}$.
 - (c) $\log(1+x) > x$.
 - (d) $\log(1+x) < x$.
 - (e) none of the above.
21. Which one of the following is FALSE?
- (a) $\log_{\frac{1}{2}} 8 = -3$.
 - (b) $\log_a xy = \log_a x + \log_a y$, $x > 0$, $y > 0$, $a > 0$, and $a \neq 1$.
 - (c) $y = \log_a x$ if and only if $x = a^y$, $x > 0$, $a > 0$, and $a \neq 1$.
 - (d) $a^{\log_a x} = x$, $x > 0$, $a > 0$, and $a \neq 1$.
 - (e) $\frac{\log_a x}{\log_a y} = \log_a(x-y)$.
22. Find the solution set of the following inequalities:
- (a) $\log(x+4) < 0$.
 - (b) $\log_3 x + 2 \log_9 x > 2$.
 - (c) $\log_{\frac{1}{2}} x^2 > -4$.
 - (d) $\log_5 x < \log x$.
 - (e) $\log_x 64 < 3$.
 - (f) $\log_2 x < -1$.

4 Section 4.5

1. Find the solution set of the following equations:

(a) $(125)^{3-x} = (25)^x 5^{1-x}$.

(b) $8^{2x-1} = 2 \left(\frac{1}{16}\right)^{-\frac{1}{2}}$.

(c) $4^x - 7 \cdot 2^x + 12 = 0$.

(d) $\left(\frac{2}{3}\right)^{|k-5|} = \left(\frac{81}{16}\right)^{-|k|}$.

(e) $\frac{5^x + 5^{-x}}{5^x - 5^{-x}} = 3$.

(f) $\frac{10^x - (200)(10^{-x})}{2} = 49$.

(g) $4^x - (3)(2^x) + 2 = 0$.

(h) $(343)^{3-x} = (49)^x$.

(i) $\left(\frac{3}{2}\right)^{|2x-1|} = \frac{27}{8}$.

(j) $\left(\frac{2}{3}\right)^{x-2} = \left(\frac{27}{8}\right)^{-2(x+3)}$.

(k) $e^x - 5 + 6e^{-x} = 0$.

(l) $2^{2x} + 6 \cdot 2^x + 4 = 0$.

(m) $2^{2x+1} - 7 \cdot 2^x - 4 = 0$.

(n) $(125)^{x(x-5)} = \left(\frac{1}{25}\right)^3$.

(o) $(e^x - 3)(e^x + 1) = -3$.

2. Find the solution set of the following equations:

(a) $\frac{1}{3} \log_2(x+5) + \log_8(3x-1) = 2$.

(b) $\log(x-2) + \log(x+1) = 1$.

(c) $2 \log(x-2) = \log(\log 10^x) + 10^{\log(\log x)}$.

(d) $\log_8(x+5) + \log_8(3x-1) = \log_4 16$.

(e) $2 \log_3(1-x) + \log_{\frac{1}{3}}(x-2) = 2 \log_3 2$.

(f) $\log_3(-x) + \log_3(6-x) = 3$.

(g) $5 \log_2(\log_4 16) + x = 1 + 2 \ln e^x$.

(h) $\log_5(x-20) - \log_5 \frac{1}{x} = \log 1000$.

(i) $\log x^3 = (\log x)^2$.

(j) $\log_3 \left(\log_{\frac{1}{2}} x \right) = 1$.

(k) $(\log_c x) \cdot \log_5 c = 3$.

(l) $\log_x(\log_2 8) = 2$.

(m) $\log_{\frac{1}{x}} x^2 = 6$.

- (n) $2 \log_2 x - \log_2 (x - 1) = 2$.
- (o) $2 \log (x - 3) = \log (x + 5) + \log 4$.
- (p) $(\log x)^2 + 2 - \log x^3 = 0$.
- (q) $\log (3x - 1) = 1 - \log x$.
- (r) $2 \log (\sqrt{x + 3}) + \log (2 - x) = \log (-2x)$.
- (s) $\ln x = -(\ln x)^2$.
- (t) $\log_{3x+1} 4 = -2$.
- (u) $\ln (x - 2) - \log_{e^{-1}} (x + 2) - \ln (e^{\ln 12}) = 0$.
- (v) $\log_2 \sqrt{x - 2} + \log_4 (x - 4) = \frac{1}{2} (3 + \log_2 3)$.
- (w) $(\ln x)^2 - \ln x^3 + 2 = 0$.

3. Find the product of all solutions of the equation $\log (2 - 6x) + \log (8 + x) = 2$.
4. Find the value of y if $y^{\frac{1}{3}} = \log_{\frac{1}{10}} 100$.
5. let $\ln 2 = x$ and $\ln 3 = y$. If $2^{t+1} = 3^{2t-1}$, then write t in terms of x and y .
6. If $y = \ln (x - 3) + 1$, then write x in terms of y .
7. If $t = \frac{10^x - 10^{-x}}{10^x + 10^{-x}}$, then write x in terms of t .
8. In the formula $P(t) = P_0 e^{kt}$, if $P(25) = \frac{1}{2} P_0$, then find $P(75)$ in terms of P_0 .
9. If $\log_2 6x - \log_2 3x = 2 \log_2 k$, and $x > 0$, then find k .
10. Find the points of intersection of the graphs of $f(x) = e^{x^2}$ and $g(x) = (e^x)^2$.