




	ahd University of
	eum & Minerals uter Engineering Dept
•	
COE 540	) – Computer Networks
Term 15	51
Dr. Ashr	af S. Hasan Mahmoud
Rm 22-4	20
Ext. 172	24
Email: a	shraf@kfupm.edu.sa
8/23/2015	Dr. Ashraf S. Hasan Mahmoud 1







































































Design Is	ssues for the Layers		
	a particular problem but must includ Idress a set of recurring design issu		
Issue	Example mechanisms at different layers		
Reliability despite failures	Codes for error detection/correction (§3.2, 3.3) Routing around failures (§5.2)		
Network growth and evolution	Addressing (§5.6) and naming (§7.1) Protocol layering (§1.3)		
Allocation of resources like bandwidth	Multiple access (§4.2) Congestion control (§5.3, 6.3)		
Security against	Confidentiality of messages (§8.2, 8.6)		


CN5E by Tanenbaum & Wetherall, © Pearson Education-Prentice Hall and D. Wetherall, 2011





()norations o	r function calls available to entity process
to access ser	vice from lower layer and communicate
•	tity on the other machine
	primitives that can be used to establish riented service
connection o	
Primitive	Meaning
LISTEN	Block waiting for an incoming connection
CONNECT	Establish a connection with a waiting peer
ACCEPT	Accept an incoming connection from a peer
RECEIVE	Block waiting for an incoming message
SEND	Send a message to the peer














## The OSI Reference Model – Layers Functions


- 1. Physical
  - Transmission of raw bits (1s and 0s)
- 2. Data link layer
  - Converting the raw stream of bits into a reliable exchange of data frames
  - Use of acknowledgement frames, error control, etc.
  - Medium access control sublayer controlling access to the shared medium
- 3. Network layer
  - Deciding on routes for packets and forwarding packet in the direction of the destination
  - Controls the operation of the subnet
- 4. Transport
  - Accepting data from one end and reliably transferring it to the other end
  - Operates end-to-end
- 5. Session
  - Establishing sessions between the two parties
  - Functions include dialog control, token management, synchronization, etc.
- 6. Presentation
  - Syntax and semantics of information transmitted
- 7. Application
  - Email (SMTP), WWW (HTTP), file transfer (FTP), etc.


8/23/2015 Dr. Ashraf S. Hasan Mahmoud












































Ne	etwork Stand	dardization
tandards (	define what is nee	ded for <u>interoperat</u>
ome of the	e many standards	bodies:
	Area	1
Body ITU	Telecommunications	Examples G.992, ADSL
		H.264, MPEG4
IEEE	Communications	H.264, MPEG4 802.3, Ethernet 802.11, WiFi
IEEE	Communications Internet	802.3, Ethernet

The main pr	Metric Units The main prefixes we use:							
	Prefix	Exp.	prefix	exp.	]			
	K(ilo)	10 <sup>3</sup>	m(illi)	10 <sup>-3</sup>	-			
	M(ega)	10 <sup>6</sup>	µ(micro)	10 <sup>-6</sup>	-			
	G(iga)	10 <sup>9</sup>	n(ano)	10 <sup>-9</sup>	-			
•	Mbps = <sup>·</sup>	1,000,00	0 bps, 1 KE		f 2 for storage 24 bytes			
CN	5E by Tanenbaum &	Wetherall, © Pearso	n Education-Prentice Hall an	nd D. Wetherall,	2011			