King Fahd University of Petroleum & Minerals Department of Math and Stat

Semester 132

Math 131, Final Exam

I.D.#

May 19, 2014

CODE#

1.					the shop has weekly fixed or the shop to break even?							
	a) 40	b) 50	c) 52	d) 57	e) 60							
2.	The demand for a product is given by $p = 200 - 2q$, where p is the price p q is the quantity demanded. The manufacturer's maximum revenue is											
	a) 2000	b) 2900	c) 4270	d) 5000	e) 5999							
3.	An interest ra	te of 10% comp	pounded contin	uously is equiv	alent to an effective rate of							
	a) 10.52%	b) 10.31%	c) 10.23%	d) 10.17%	e) 9.95%							
4.	On January 1, 2010, Khalid borrowed \$6,000 from a bank. On January 1, 2011, he pathe bank \$2,000. On January 1, 2014, he again borrowed \$3,000. On January 1, 201 he wants to pay the bank all his remaining balance. If the interest rate is 12 compounded monthly, how much will he pay on January 1, 2015?											
	a) \$12,810.3	b) \$11,056.2	c) \$10,893.7	d) \$9,999.9	e) \$7,000.0							
5.	fund that pays		ed quarterly. If		the end of each quarter in a 5,000 at the end of 10 years,							
	a) \$375.0	b) \$266.5	c) \$248.3	d) \$173.9	e) \$120.7							
6.	Thirty of then		loss in the right	ear. Ten of the	them have no hearing loss. In have hearing loss in both							
	a) 10	b) 20	c) 30	d) 35	e) 40							
7.	The mode an respectively a		of the list of	numbers 21, 3	32, 46, 51, 32, 49, 32, 49							
	a) 21 32	b) 32 32	c) 49 32	d) 32 46	e) 32 39							

$$P = +2x_1 + 5x_2 - 4x_3$$

$$6x_1 + 3x_2 - 3x_3 \le 10$$

$$x_1 - x_2 + x_3 \le 1$$

$$-2x_1 + x_2 - 2x_3 \ge -12$$

$$x_1, x_2, x_3 \ge 0$$

- a) -6
- b) 6
- c) -4
- d) 4
- e) 0

9. Find the **maximum** value of Z = 3x + 2y

subject to




subject to

$$3x + y \le 4$$

 $2x + y \le 5$

$$x + 2y \ge 3$$

$$x, y \ge 0$$



- a) 3
- b) 4
- c) 5
- d) 8
- e) 10

10. Suppose that E and F are two events with positive probabilities. Which of the following statements is true?

- a) E and F are independent if their probabilities equal 1/2 each.
- b) E and F are mutually exclusive if there is only one common sample point.
- c) If E and F are independent then they are mutually exclusive.
- d) If E and F are mutually exclusive then $P(E \mid F) = P(E)$.
- e) If E and F are mutually exclusive then they are dependent.

11. A coin is tossed seven times. In how many ways can four heads and three tails occur?

- a) 12
- b) 35
- c) 210
- d) 840
- e) 5040

12. In how many ways can you arrange five of seven different books on a bookshelf?

- a) 2520
- b) 42
- c) 5040
- d) 120
- e) 21

13. On a 5-question multiple-choice examination, there are 3 choices for each question, only one of which is correct. If a student answers each question in a random fashion, find the probability that the student answers exactly 3 questions correctly.

- a) $\frac{10}{243}$ b) $\frac{40}{243}$
- c) $\frac{8}{25}$ d) $\frac{81}{125}$ e) $\frac{3}{125}$

14. Given the	sample space S	$S = \{1, 2, 3, 4, 5\}$	and the events	$E = \{1, 2, 3\}$ and	$G = \{3, 4\}$. Find
$P = (E \mid G)$	ř').				
a) $\frac{2}{3}$	b) $\frac{1}{2}$	c) $\frac{1}{2}$	d) $\frac{2}{5}$	e) $\frac{1}{5}$	
3	2	3	5	5	
15. Box 1 cor	ntains three red	and two white	balls. Box 2 co	ontains two red	, four white, and
four blue	balls. Box 3 co	ntains one red,	one white, and	d one blue ball.	A box is chosen

- four blue balls. Box 3 contains one red, one white, and one blue ball. A box is chosen at random and then a ball is chosen at random from it. Find the probability that the ball is white.
 - a) $\frac{2}{15}$ b) $\frac{7}{18}$ c) $\frac{17}{45}$ d) $\frac{1}{9}$ e) $\frac{1}{15}$
- 16. The probability that Khalid passes an exam is $\frac{7}{8}$, and the probability that Fahd passes the same exam is $\frac{2}{3}$. Find the probability that exactly one of them will pass the exam.
 - a) $\frac{7}{12}$ b) $\frac{7}{24}$ c) $\frac{1}{24}$ d) $\frac{3}{8}$ e) $\frac{3}{4}$
- 17. If E and F are independent with $P(E) = \frac{1}{3}$ and $P(F) = \frac{3}{4}$, find $P(F' \cup E)$.

 a) $\frac{1}{6}$ b) $\frac{3}{12}$ c) $\frac{1}{4}$ d) $\frac{1}{3}$ e) $\frac{1}{2}$
- 18. A random variable X has the following distribution. Find Var(X).

X	P(X = x)
2	0.18
3	????
5	0.25
9	0.16

- a) 6.4
- b) 5.3
- c) 4.4
- d) 3.8
- e) 3.1
- 19. The table below shows the frequency distribution of the waiting time of customers in a bank. Find the mean waiting time.

Waiting Time (in minutes)	Frequency (Number of Customers)
0-4	8
5-9	20
10-14	12
15-19	7
20-24	3

- a) 12.3
- b) 12.0
- c) 9.7
- d) 8.8
- e) 7.0

- 20. In a large production lot of electronic devices, it is believed that one-fourth are defective. If a sample of three is randomly selected, find the probability that no more than one device will be defective.
- b) $\frac{5}{32}$ c) $\frac{27}{64}$ d) $\frac{9}{64}$ e) $\frac{51}{64}$
- 21. Suppose X is a binomially distributed random variable such that $\mu = 2$ and $\sigma^2 = \frac{3}{2}$.

Find P(X=1).

- a) $\frac{8}{3^{11}}$ b) $\frac{3}{4}$ c) $\frac{3^7}{2^{11}}$ d) $\frac{3}{2^{11}}$ e) $\frac{3^7}{2^{13}}$
- 22. The yearly income for a group of 30,000 people is normally distributed with mean $\mu = \$60,000$ and $\sigma = \$5,000$. How many of these people have yearly income between \$55,000 and \$70,000?
 - a) 20,400
- b) 22,425
- c) 24,450
- d) 28,500

0.05

- e) 29,925
- 23. A national achievement test was taken by 991 students. If the scores are normally distributed with $\mu = 60$ and $\sigma = 10$, then we can say that only 327 students scored more than
 - a) 70.1
- b) 67.3
- c) 65.0

Standard Normal

Distribution Table

- d) 64.4
- e) 61.3


0.06

0.3944

0.07

0.08

0.09



			0.01	0.02	0.05	0.04	0.03	0.00	0.07	0.00	0.05
	0.0	0.0000	0.0040	0.0080	0.0120	0.0160	0.0199	0.0239	0.0279	0.0319	0.0359
$1-(1+r)^{-n}$	0.1	0.0398	0.0438	0.0478	0.0517	0.0557	0.0596	0.0636	0.0675	0.0714	0.0753
a =	0.2	0.0793	0.0832	0.0871	0.0910	0.0948	0.0987	0.1026	0.1064	0.1103	0.1141
\overline{n} r r	0.3	0.1179	0.1217	0.1255	0.1293	0.1331	0.1368	0.1406	0.1443	0.1480	0.1517
	0.4	0.1554	0.1591	0.1628	0.1664	0.1700	0.1736	0.1772	0.1808	0.1844	0.1879
	0.5	0.1915	0.1950	0.1985	0.2019	0.2054	0.2088	0.2123	0.2157	0.2190	0.2224
	0.6	0.2257	0.2291	0.2324	0.2357	0.2389	0.2422	0.2454	0.2486	0.2517	0.2549
$(1+r)^n - 1$	0.7	0.2580	0.2611	0.2642	0.2673	0.2704	0.2734	0.2764	0.2794	0.2823	0.2852
s	0.8	0.2881	0.2910	0.2939	0.2967	0.2995	0.3023	0.3051	0.3078	0.3106	0.3133
\overline{n} r r	0.9	0.3159	0.3186	0.3212	0.3238	0.3264	0.3289	0.3315	0.3340	0.3365	0.3389
	1.0	0.3413	0.3438	0.3461	0.3485	0.3508	0.3531	0.3554	0.3577	0.3599	0.3621
	1.1	0.3643	0.3665	0.3686	0.3708	0.3729	0.3749	0.3770	0.3790	0.3810	0.3830
	1.2	0.3849	0.3869	0.3888	0.3907	0.3925	0.3944 ◀	0.3962	0.3980	0.3997	0.4015

ANSWERS

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23
A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В
С	С	С	С	С	C	С	С	С	С	С	С	С	С	С	С	C	С	С	С	С	C	C
D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	D	D
Е	Е	Е	Е	Е	Е	Е	Е	Е	Е	Е	Е	Е	Е	Е	Е	Е	Е	Е	Е	Е	Е	Е