King Fahd University of Petroleum and Minerals Department of Mathematics and Statistics

Math 301 First Exam Semester (151) Oct. 14, 2015 at 06:00-08:00 PM

Name:

I.D: Section: Serial:

Question	Points
1	/10
2	/15
3	/15
4	/15
5	/15
6	/15
7	/15
Total	/100

a. Let
$$\mathbf{r}(t) = t^2 \mathbf{i} + t\mathbf{j} + \mathbf{k}$$
. Find $\frac{d}{dt} [\mathbf{r}(t) \times \mathbf{r}'(t)]$.

b. Find the length of the curve traced by

$$\mathbf{r}(t) = t\mathbf{i} + t\cos t\,\mathbf{j} + t\sin t\,\mathbf{k}; \qquad 0 \le t \le \pi.$$

a) Suppose $\nabla f(a, b) = 4\mathbf{i} + 3\mathbf{j}$. Find a unit vector \mathbf{u} so that $D_{\mathbf{u}}f(a, b)$ is maximum. b) Find an equation of the tangent plane to the graph of xz = 6 at the point

(2,0,3).

a) For any constant vector **a** and $\mathbf{r}(t) = x\mathbf{i} + y\mathbf{j} + z\mathbf{k}$, show that $\nabla \cdot (\mathbf{a} \times \mathbf{r}) = 0$.

b) Evaluate $\int_C xy^2 dy$, where **C** is the quarter-circle define by

$$x = 4\cos t, \ y = 4\sin t, \ 0 \le t \le \frac{\pi}{2}$$
.

Let $\mathbf{F}(x, y, z) = (y + yz)\mathbf{i} + (x + 3z^3 + xz)\mathbf{j} + (9yz^2 + xy - 1)\mathbf{k}$ be a field.

a) Show that **F** is conservative.


b) Show that $\phi(x, y, z) = xy + xyz + 3yz^3$ is a potential of **F**.

c) Evaluate $\int_{(1,0,1)}^{(4,1,2)} \mathbf{F} \cdot d\mathbf{r}$.

Use Green's theorem to evaluate $\oint_C 2ydx + 5xdy$, where C is the circle

 $(x-1)^2 + (y+1)^2 = 25.$

Use Stock's theorem to evaluate $\oint_C x^2 y dx + (x + y^2) dy + xy^2 z dz$, where **C** is the boundary of the surface shown in the adjacent figure.



Use the divergence theorem to evaluate the outward flux $\iint_{S} (\mathbf{F} \cdot \mathbf{n}) dS$ of the vector field $\mathbf{F} = 4x\mathbf{i} + y\mathbf{j} + 4z\mathbf{k}$, and \mathbf{D} is the sphere $x^{2} + y^{2} + z^{2} = 9$.