

KING FAHD UNIVERSITY OF PETROLEUM & MINERALS
DEPARTMENT OF MATHEMATICS AND STATISTICS
Term 162

STAT 212 BUSINESS STATISTICS II
Final Exam
Sunday May 21, 2017

Name: _____ ID #: _____ Srl #: _____

SECTION: 1 (E. AL-SAWI) 2 (R. ANABOSI)

Important Notes:

- 1) You must **show all work** to obtain full credit for questions on this exam.
- 2) **DO NOT round** your answers at each step. Round answers only if necessary at your final step to **4 decimal places**.

Question No	Full Marks	Marks Obtained
Q1	15	
Q2	6	
Q3	12	
Q4	8	
Q5	8	
Q6	12	
Q7	14	
Q8	10	

<i>Total</i>	85	
---------------------	-----------	--

Question one (15 Marks)

The table below shows the mean price for three types of energy products in the United States from 1992 to 2008: Electricity (\$ per 500 kWh), Natural Gas (\$ per 40 therms), and Fuel Oil (\$ per gallon).

Year	Electricity (ELC)	Natural Gas (Gas)	Fuel Oil (Oil)	Price index (ELC)	Price index (Gas)	Price index (Oil)	unweighted aggregate price index
1992	44.501	26.376	0.985	100.00%	100.00%	100.00%	100.00%
1993	16.959	28.749	0.969	38.11%	109.00%	98.38%	64.95%
⋮	⋮	⋮	⋮				
2007	60.343	56.297	2.681	135.60%	213.44%	272.18%	166.04%
2008	64.172	63.748	3.752				

For year 2008 Calculate: (using 1992 as the base year)

- 1) (6 Marks) The simple price index for electricity, natural gas, and fuel oil, using 1992 as the base year. **(Write the answer in the TABLE)**

(1 Mark) Interpretation for the Fuel Oil price index only:

- 2) (2 Mark) The unweighted aggregate price index for the group of three energy items. **(Write the answer in the TABLE)**

(1 Mark) Interpretation:

- 3) Laspeyres price index for the group of three energy items for a family that consumed 5,000 kWh of electricity (10 units), 960 therms of natural gas (24 units), and 400 gallons of fuel oil (400 units) in 1992.

(2 Marks) Calculation:

- 4) Paasche price index for the group of three energy items for a family that consumed 6,500 kWh of electricity, 1,040 therms of natural gas, and 235 gallons of fuel oil in 2008.

(3 Marks) Calculation:

Question Two (6 Marks)

A study was recently performed in which it attempted to develop a regression model to explain variation in the mileage ratings of new cars. At one stage of the analysis, the estimated regression took the following form: $\hat{y} = 34.2 - .003X_1 + 4.56X_2$, where X_1 = Vehicle weight, and $X_2 = 0$ if standard transmission and $X_2 = 1$ if automatic transmission.

1. The Interpretation of the regression coefficient for

(i) **(2 Marks)** X_1 is:

(ii) **(2 Marks)** X_2 is:

2. (2 Marks) Cadillac's 2000 with automatic transmission weights 4012 pounds. Provide an estimate of the average highway mileage you would expect to obtain from this model.

Question Three (12 Marks)

Are gasoline prices higher during the height of the summer vacation season than at other times? A study on the mean monthly prices (in dollars per gallon) for unleaded gasoline in the United States from January 2006 to April 2010 resulted in the following output.

The regression equation is:

$$\text{Log(Price)} = 0.886 - 0.00001 \text{ Months} - 0.048 \text{ Jan} - 0.021 \text{ Feb} + 0.003 \text{ Mar} + 0.078 \text{ Apr} + 0.153 \text{ May} + 0.234 \text{ Jun} + 0.246 \text{ Jul} + 0.226 \text{ Aug} + 0.194 \text{ Sep} + 0.140 \text{ Oct} + 0.067 \text{ Nov}$$

Predictor	Coef	SE Coef	T	P
Constant	0.8864	0.1107	8.01	0.000
Months	-0.000015	0.001815	-0.01	0.994
Jan	-0.0480	0.1310	-0.37	0.716
Feb	-0.0211	0.1309	-0.16	0.873
Mar	0.0030	0.1308	0.02	0.982
Apr	0.0776	0.1307	0.59	0.556
May	0.1533	0.1383	1.11	0.275
Jun	0.2339	0.1382	1.69	0.099
Jul	0.2459	0.1381	1.78	0.083
Aug	0.2262	0.1380	1.64	0.109
Sep	0.1944	0.1379	1.41	0.166
Oct	0.1402	0.1378	1.02	0.315
Nov	0.0670	0.1378	0.49	0.629

Source	DF	Seq SS
Months	1	0.00116
Jan	1	0.11895
Feb	1	0.10203
Mar	1	0.09089
Apr	1	0.02725
May	1	0.00015
Jun	1	0.02596
Jul	1	0.04770
Aug	1	0.05032
Sep	1	0.04700
Oct	1	0.03030
Nov	1	0.00899

$$S = 0.194829 \quad R\text{-Sq} = 27.1\% \quad R\text{-Sq(adj)} = 4.7\%$$

Analysis of Variance

Source	DF	SS	MS	F	P
Regression	12	0.55069	0.04589	1.21	0.312
Residual Error	39	1.48038	0.03796		
Total	51	2.03107			

- I. (2 Mark) Unadjusted trend value for first quarter of first year is
- II. (2 Marks) The estimated monthly compound growth rate is
- III. (1 Mark) The estimated multiplier for August is

(2 Marks) Interpretation:

- IV. (3 Marks) Predict the Gas price in December.

V. (2 Marks) Which months have lower prices on average? Why?

Question Four (8 Marks)

A study on the mean monthly prices (in dollars per gallon) for unleaded gasoline in the United States from January 2006 to April 2010 is conducted. Part of the data is given in the table below

Price(\$)	2.197	2.357	2.254	2.498	2.914	2.867	2.869	3.004	2.845
Month	Jan-06	Feb-06	Mar-06	Apr-06	May-06	Jun-06	Jul-06	Aug-06	Sep-06

Four autoregressive models are shown in the following Minitab output.

<p>Regression Analysis: Price(\$) versus Lag1 <u>The regression equation is</u> $Price(\\$) = 0.343 + 0.879 \text{ Lag1}$</p> <table border="1"> <thead> <tr> <th>Predictor</th> <th>Coef</th> <th>SE Coef</th> <th>T</th> <th>P</th> </tr> </thead> <tbody> <tr> <td>Constant</td> <td>0.3426</td> <td>0.1817</td> <td>1.89</td> <td>0.065</td> </tr> <tr> <td>Lag1</td> <td>0.87881</td> <td>0.06536</td> <td>13.45</td> <td>0.000</td> </tr> </tbody> </table> <p>S = 0.254627 R-Sq = 78.7% R-Sq(adj) = 78.2%</p>	Predictor	Coef	SE Coef	T	P	Constant	0.3426	0.1817	1.89	0.065	Lag1	0.87881	0.06536	13.45	0.000	<p>Regression Analysis: Price(\$) versus Lag1, Lag2 <u>The regression equation is</u> $Price(\\$) = 0.478 + 1.36 \text{ Lag1} - 0.529 \text{ Lag2}$</p> <table border="1"> <thead> <tr> <th>Predictor</th> <th>Coef</th> <th>SE Coef</th> <th>T</th> <th>P</th> </tr> </thead> <tbody> <tr> <td>Constant</td> <td>0.4781</td> <td>0.1625</td> <td>2.94</td> <td>0.005</td> </tr> <tr> <td>Lag1</td> <td>1.3554</td> <td>0.1237</td> <td>10.95</td> <td>0.000</td> </tr> <tr> <td>Lag2</td> <td>-0.5285</td> <td>0.1226</td> <td>-4.31</td> <td>0.000</td> </tr> </tbody> </table> <p>S = 0.219836 R-Sq = 84.6% R-Sq(adj) = 83.9%</p>	Predictor	Coef	SE Coef	T	P	Constant	0.4781	0.1625	2.94	0.005	Lag1	1.3554	0.1237	10.95	0.000	Lag2	-0.5285	0.1226	-4.31	0.000																				
Predictor	Coef	SE Coef	T	P																																																				
Constant	0.3426	0.1817	1.89	0.065																																																				
Lag1	0.87881	0.06536	13.45	0.000																																																				
Predictor	Coef	SE Coef	T	P																																																				
Constant	0.4781	0.1625	2.94	0.005																																																				
Lag1	1.3554	0.1237	10.95	0.000																																																				
Lag2	-0.5285	0.1226	-4.31	0.000																																																				
<p>Regression Analysis: Price(\$) versus Lag1, Lag2, Lag3 <u>The regression equation is</u> $Price(\\$) = 0.542 + 1.32 \text{ Lag1} - 0.436 \text{ Lag2} - 0.079 \text{ Lag3}$</p> <table border="1"> <thead> <tr> <th>Predictor</th> <th>Coef</th> <th>SE Coef</th> <th>T</th> <th>P</th> </tr> </thead> <tbody> <tr> <td>Constant</td> <td>0.5423</td> <td>0.1774</td> <td>3.06</td> <td>0.004</td> </tr> <tr> <td>Lag1</td> <td>1.3200</td> <td>0.1473</td> <td>8.96</td> <td>0.000</td> </tr> <tr> <td>Lag2</td> <td>-0.4358</td> <td>0.2355</td> <td>-1.85</td> <td>0.071</td> </tr> <tr> <td>Lag3</td> <td>-0.0790</td> <td>0.1458</td> <td>-0.54</td> <td>0.591</td> </tr> </tbody> </table> <p>S = 0.220499 R-Sq = 84.9% R-Sq(adj) = 83.9%</p>	Predictor	Coef	SE Coef	T	P	Constant	0.5423	0.1774	3.06	0.004	Lag1	1.3200	0.1473	8.96	0.000	Lag2	-0.4358	0.2355	-1.85	0.071	Lag3	-0.0790	0.1458	-0.54	0.591	<p>Regression Analysis: Price(\$) versus Lag1, Lag2, Lag3, Lag4 <u>The regression equation is</u> $Price(\\$) = 0.578 + 1.33 \text{ Lag1} - 0.532 \text{ Lag2} + 0.127 \text{ Lag3} - 0.136 \text{ Lag4}$</p> <table border="1"> <thead> <tr> <th>Predictor</th> <th>Coef</th> <th>SE Coef</th> <th>T</th> <th>P</th> </tr> </thead> <tbody> <tr> <td>Constant</td> <td>0.5781</td> <td>0.1959</td> <td>2.95</td> <td>0.005</td> </tr> <tr> <td>Lag1</td> <td>1.3321</td> <td>0.1507</td> <td>8.84</td> <td>0.000</td> </tr> <tr> <td>Lag2</td> <td>-0.5318</td> <td>0.2491</td> <td>-2.14</td> <td>0.038</td> </tr> <tr> <td>Lag3</td> <td>0.1266</td> <td>0.2470</td> <td>0.51</td> <td>0.611</td> </tr> <tr> <td>Lag4</td> <td>-0.1365</td> <td>0.1474</td> <td>-0.93</td> <td>0.360</td> </tr> </tbody> </table> <p>S = 0.221542 R-Sq = 85.4% R-Sq(adj) = 84.0%</p>	Predictor	Coef	SE Coef	T	P	Constant	0.5781	0.1959	2.95	0.005	Lag1	1.3321	0.1507	8.84	0.000	Lag2	-0.5318	0.2491	-2.14	0.038	Lag3	0.1266	0.2470	0.51	0.611	Lag4	-0.1365	0.1474	-0.93	0.360
Predictor	Coef	SE Coef	T	P																																																				
Constant	0.5423	0.1774	3.06	0.004																																																				
Lag1	1.3200	0.1473	8.96	0.000																																																				
Lag2	-0.4358	0.2355	-1.85	0.071																																																				
Lag3	-0.0790	0.1458	-0.54	0.591																																																				
Predictor	Coef	SE Coef	T	P																																																				
Constant	0.5781	0.1959	2.95	0.005																																																				
Lag1	1.3321	0.1507	8.84	0.000																																																				
Lag2	-0.5318	0.2491	-2.14	0.038																																																				
Lag3	0.1266	0.2470	0.51	0.611																																																				
Lag4	-0.1365	0.1474	-0.93	0.360																																																				

- a. (2 Marks) Which model is significant in predicting the Gas Prices? Explain.
- b. (2 Marks) Using the 3-rd order autoregressive model, what is the estimated Gas Prices in Jun 2006?
- c. (2 Marks) Compute the third moving average using a period of length 5.

- d. (2 Marks) Compute the third exponentially smoothed Gas Price if the smoothing constant is 0.4.

Question Five (8 Marks)

A firm known to have a 56% market share wants to test whether this value is still valid in view of recent advertising campaigns of its competitors and its own increased level of advertising. A random sample of 500 consumers reveals 298 use the company's product. Is there evidence to conclude that the company's market share is no longer 56% at $\alpha = 0.01$?

Hypotheses (1 Mark):

H0:

H1:

Assumptions (1 Mark):

Test Statistic (2 Marks):

Critical Value(s) (1 Mark):

Decision Rule (1 Mark):


Conclusion (2 Mark):

Question Six (3 pts*4=12 Marks)

The Personal manager for a company has been asked to assist the production managers in developing a staffing plan for the coming year. One factor that influences staffing is the amount of sick time taken by employees each month. **The data collected represent the number of sick days, by month for the past three years.**


Use the given figures to answer the questions:


A) Identify the time series components exist.



Answer:




B) Use the linear trend model to predict the amount of sick time for the next two months. Do you think this model is appropriate? Explain.





C) Comment on the developed monthly seasonal indexes **for period 8 and 9**, (Note that the seasonal length is 12). Compare the accuracy of the seasonal decomposition model with previous linear model. Which model we will suggest to be used to predict the sales for the coming seasons. (HINT: use MAPE, MAD and MSD)

D) We used the moving average, single exponential and double exponential smoothing (Graphs are in the next page), which smoothing you suggest that we should use? Explain. (HINT: use MAPE, MAD and MSD)



Question Seven (14 Marks)

a well-known baseball analyst, wants to determine which variables are important in predicting a team's wins in a given baseball season. He has collected data related to wins (y), ERA (x_1), saves (x_2), runs scored (x_3), hits allowed (x_4), walks allowed (x_5), and errors (x_6) for the 2009 season. The coefficient of multiple determination (R_j^2) of each of the six predictors with all the other remaining predictors are, respectively, 91.013%, 27.431%, 91.038%, 62.990%, 39.247%, and 18.831%.

I. Regression using all independent variables.**Regression Analysis: Wins versus X1 (E.R.A.), X2(Runs Scored), ...**

The regression equation is

$$\begin{aligned} \text{Wins} = & 78.7 - 9.39 X_1 (\text{E.R.A.}) + 0.0739 X_2 (\text{Runs Scored}) \\ & - 0.0176 X_3 (\text{Hits Allowed}) - 0.0044 X_4 (\text{Walks Allowed}) \\ & + 0.661 X_5 (\text{Saves}) - 0.115 X_6 (\text{Errors}) \end{aligned}$$

Predictor	Coef	SE Coef	T	P	VIF
Constant	78.72	24.32	3.24	0.004	
X1 (E.R.A.)	-9.394	3.568	-2.63	0.015	
X2 (Runs Scored)	0.073851	0.007288	10.13	0.000	1.378
X3 (Hits Allowed)	-0.01755	0.01912	-0.92	0.368	
X4 (Walks Allowed)	-0.00444	0.01717	-0.26	0.798	
X5 (Saves)	0.66072	0.08661	7.63	0.000	1.646
X6 (Errors)	-0.11471	0.03283	-3.49	0.002	1.232

S = 2.48411 R-Sq = 96.2% R-Sq(adj) = 95.3%

1. (3 Marks) Compute the missing VIF numbers.

2. (2 Marks) Which of the predictors should first be dropped to remove collinearity?
Why?

II. Best Subset Regression:**Best Subsets Regression: Y versus X1, X2, X4, X5, X6**

Response is Y

Vars	R-Sq	R-Sq(adj)	Mallows		S	X	X	X	X	X
			Cp			1	2	4	5	6
1	61.4	60.0	212.0	7.2183						X
1	40.6	38.5	340.5	8.9579	X					
2	82.9	81.6	81.4	4.8929	X	X				
2	75.7	73.9	126.0	5.8351		X		X		
3	94.3	93.6	13.4	2.8908	X	X			X	
3	84.4	82.6	74.3	4.7640	X	X				X
4	96.0	95.4	4.4	2.4443	X	X		X	X	
4	94.3	93.3	15.4	2.9480	X	X	X	X		
5	96.1	95.3	6.0	2.4760	X	X	X	X	X	

State the predictors that will be selected for the best subset regression models, based on

i) R-Sq criteria (1)

ii) R-Sq (adj) criteria (1)

iii) Mallows Cp criteria (2)

III. The analyst included X5_sq (the square of X5) to the list of independent variable. Use the MINITAB outputs to answer the following questions:

Stepwise Regression: Y versus X1, X2, X4, X5, X6, X5_sq

Alpha-to-Enter: 0.15 Alpha-to-Remove: 0.15

Response is Y on 6 predictors, with N = 30

Step	1	2	3	4
Constant	52.39	14.73	67.01	76.99
X5_sq	0.0173	0.0144	0.0090	0.0090
T-Value	6.88	6.37	7.39	8.45
P-Value	0.000	0.000	0.000	0.000
X2		0.0568	0.0757	0.0705
T-Value		3.57	9.67	9.98
P-Value		0.001	0.000	0.000
X1			-13.3	-12.6
T-Value			-9.65	-10.32
P-Value			0.000	0.000
X6				-0.094
T-Value				-3.01
P-Value				0.006
S	7.09	5.95	2.83	2.47
R-Sq	62.80	74.72	94.48	95.96
R-Sq(adj)	61.47	72.85	93.85	95.31
Mallows Cp	194.0	125.5	10.6	3.9

(I) Which predictor will be chosen as the first variable entering in to the model

(1)

(II) Write the prediction equation for the best model.

(1)

(III) Which of the predictor(s) of the best selected model are significant at 0.005 significance level?

(2)

(IV) Are there any predictors that have been removed from the model after selection? If yes, state them.

(1)

Question Eight (2 pts*5=10 Mark)

1. If we are performing a two-tailed test of whether $\mu = 100$, the probability of rejecting the H_0 when the true mean is 105 will be _____ the probability of rejecting the H_0 when the true mean is 110.
 - A. less than
 - B. greater than
 - C. equal to
 - D. not comparable to


2. If we are testing for the difference between the means of two paired populations with samples of $n_1 = 20$ and $n_2 = 20$, the number of degrees of freedom is equal to:
 - A. 39.
 - B. 38.
 - C. 19.
 - D. 18.

3. When formulating a hypothesis test, which of the following statements is TRUE?
 - A. The null hypothesis should never contain the equality.
 - B. The null and alternative hypotheses should be stated in terms of the population parameters.
 - C. If possible, the research hypothesis should be formed as the null hypothesis.
 - D. The null hypothesis should be established such that the chance of making a Type I error is minimized.

4. A manufacturer of industrial plywood has a contract to supply a boat maker with a large amount of plywood. One of the specifications calls for the standard deviation in thickness to not exceed .03 inches. A sample of $n = 30$ sheets was sampled randomly from a recent production run. The mean thickness was right at the $\frac{3}{4}$ inch target thickness and the sample standard deviation was 0.05 inches. Testing at the 0.05 level of significance,

Which of the following steps is NOT correct for this hypothesis testing?

 - A. The test hypotheses are $H_0: \sigma \leq 0.03$ vs $H_1: \sigma > 0.03$
 - B. The critical value is: $\chi^2_{.95, 29} = 17.7084$
 - C. The test statistic is $\chi^2_{cal} = 80.5556$
 - D. The conclusion is that there is not enough evidence to indicate that the standard deviation in thickness to not exceed 0.03 inches.



5. Based on the following residual plot for simple linear regression model

which of the following is **NOT** true:

- A. based on the histogram of the errors, the normality assumption is violated
- B. based on Residual vs Fitted, the errors are independent
- C. based on the normal probability plot, there is no linear relationship between the two variables.
- D. the mean of the errors equal zero.