
KING FAHD UNIVERSITY OF PETROLEUM & MINERALS DEPARTMENT OF MATHEMATICS AND STATISTICS

STAT 211 BUSINESS STATISTICS I Semester 172, First Major Exam Monday March 5, 2018



Please circle your instructor's nam

	M. Malik	M. Saleh
Name:		ID #:

Important Note:

- Formula sheet will be provided to you in exam. You are not allowed to bring, with you, formula sheet or any other printed/written paper.
- Mobiles are not allowed in exam. If you have your mobile with you, turn it off and put it under your seat so that it is visible to proctor.
- Show all your work including formulas, intermediate steps and final answer. No points for answer without justification.
- Round up to 4 decimal points if needed.
- Make sure you have 7 unique pages of exam paper (including this title page).

Question No	Full Marks	Marks Obtained
1	7	
2	14	
3	10	
4	10	
5	5	
6	4	
Total	50	

QI:			
A.		art of marketing survey, you ask customers to list the number of children they ng a check by the appropriate category:0,1,2,3,>3	have by
	a.	Specify the level of measurement that such response exhibit.	(1 pt.)
	b.	Would it be possible to calculate the average number of children for the resp to this survey? Indicate how you would modify the survey so you could calcula statistic.	
В.		Ford Motor Company has been advertising a series of comparisons between competitors cars. What level of data measurement would each of the following	
	a.	The sound level measured in decibels inside the car.	(1 pt.)
	b.	Drivers' ratings of the handling characteristics of the car.	(1 <i>pt</i> .)
	C.	The mileage ratings in mile per gallon for the cars.	(1 pt.)
	d.	The indication of whether a stereo radio is standard equipment on a car.	(1 <i>pt.</i>)

Q2: A building contractor whose company builds many homes every year. In planning for eac
job, the contractor needs some ideas about the direct labor hours required to build a home. H
has collected sample information on the labor hours for 12 jobs during past week.

22 3 24 12 26 14 27 32 82 50 31 61


a. Make a stem – and – leaf plot for the data. (3 pts.)

- b. Depend on the stem and leaf plot, examine the distribution (briefly): (3 pts.)
 - Shape:
 - Modes:
 - Possible outliers:
- c. Compute the mean, the median, and the standard deviation. Comment on the shape. (4 pts.)

- d. If the contractor had to select the mean or the median as the measure of location for direct labor hours, what factors about each should he consider before making the decision? Which measure would you suggest he use? (2 pts.)
- e. Find the 55th percentile, and interpret it.

Q3:

A. Below the histogram of waiting times (in minutes) for patients at a health clinic. Approximate the mean and interpret it. (4 pts.)



On average the waiting time is approximately 35.357 minutes

- B. The Bureau of the Census reports that the median family income for all families in the United States during the year 2003 was \$43318. That is, half of all American families had incomes exceeding this amount, and half had incomes equal to or below this amount. Suppose that three families are surveyed and that each one reveals whether their income exceeded \$43318 in 2003.
 - a. List the points in the sample space. (4 pts.)

- b. Identify the event "Exactly two families had incomes exceeding \$43318". (1 pt.)
- c. Make use of the given information for the median to assign probability to the event in part b above. (1 pt.)



(2 pts.)

e. A and B independent? Explain.

wic	: A company has 2 machines that produce widgets. An older machine produces 23% defective digets, while the new machine produces only 8% defective widgets. In addition, the ne chine produces 3 times as many widgets as the older machine does.	
a.	What is the probability that a randomly chosen widget produced by the company is defective (3 pts	

b. Given a randomly chosen widget was tested and found to be defective, what is the probability it was produced by the new machine? (2 pts.)

Q6: Let A, B, C be three events defined on a sample space such that:

- i. Events A and B are mutually exclusive, while events A and C are independent.
- ii. The probability that event B occurs given that event C occurs is 0.3
- iii. The probability that events A occurs given that event C occurs is 0.25.
- iv. Events A and B are equally likely and event C is three times as likely to occur as event A.

What is the probability that none of the three events A, B, C occur?

(4 pts.)

Formula Sheet

Descriptive Statistics

 $\begin{array}{ll} \bullet & \text{Sample Mean } \bar{x} = \frac{\sum x_i}{n} \ \ or \ \ \bar{x} = \frac{\sum x_i f_i}{n} \\ \bullet & \text{Sample Variance } s^2 = \frac{\sum x_i^2 - n \bar{x}^2}{n-1} \ \ or \ \ s^2 = \frac{\sum x_i^2 f_i - n \bar{x}^2}{n-1} \\ \bullet & \text{Percentiles: } R_\alpha = \frac{(n+1)\alpha}{100} \ \ \& \ \ P_\alpha = X_{(i)} + d \big(X_{(i+1)} - X_{(i)} \big) \\ \end{array}$

Probability

•
$$P(A \cup B) = P(A) + P(B) - P(A \cap B)$$

•
$$P(A|B) = \frac{P(A \cap B)}{P(B)}, P(B) > 0$$

•
$$P(A_j|B) = \frac{P(A_j \cap B)}{P(B)} = \frac{P(A_j)P(B|A_j)}{\sum_{i=1}^k P(A_i)P(B|A_i)}, \quad j = 1, 2, ..., k$$