

KING FAHD UNIVERSITY OF PETROLEUM & MINERALS

ELECTRICAL ENGINEERING DEPARTMENT

EE-520 (171)

Dr. Ibrahim O. Habiballah

Key Solutions

Home Work 3

Q.1) A 4-bus system has the following line and bus data (on the base of 100MVA, 230kV base):

Line-Data

Bus-to-Bus	R (per-unit)	X (per-unit)	Y/2 (per-unit)
1-2	0.01008	0.05040	0.05125
1-3	0.00744	0.03720	0.03875
2-4	0.00744	0.03720	0.03875
3-4	0.01272	0.06360	0.06375

Bus-Data

Bus	Type	P_G (MW)	Q_G (MW)	P_D (MW)	Q_D (MW)	V (per-unit)	Q_{max} (MVAR)
1	Slack	-	-	50	30.99	1.0	-
2	Load	0	0	170	105.35	-	-
3	Load	0	0	200	123.94	-	-
4	Voltage Controlled	318	-	80	49.58	1.02	125

- Ignoring the reactive power limit of bus 4, use Gauss-Seidel method to calculate the first two iterations bus voltages with acceleration factor $\alpha = 1.6$.
- Considering the reactive power limit of bus 4, use Gauss-Seidel method to calculate ONLY the first iteration bus voltages with acceleration factor $\alpha = 1.6$.

Solution:

Bus admittance matrix

Bus no.	①	②	③	④
①	8.985190 $-j44.835953$	-3.815629 $+j19.078144$	-5.169561 $+j25.847809$	0
②	-3.815629 $+j19.078144$	8.985190 $-j44.835953$	0	-5.169561 $+j25.847809$
③	-5.169561 $+j25.847809$	0	8.193267 $-j40.863838$	-3.023705 $+j15.118528$
④	0	-5.169561 $+j25.847809$	-3.023705 $+j15.118528$	8.193267 $-j40.863838$

Q.1-a)

Iteration # 1

$$\begin{aligned}
 V_2^{(1)} &= \frac{1}{Y_{22}} \left[\frac{-1.7 + j1.0535}{1.0 + j0.0} - 1.00(-3.815629 + j19.078144) \right. \\
 &\quad \left. - 1.02(-5.169561 + j25.847809) \right] \\
 &= \frac{1}{Y_{22}} [-1.7 + j1.0535 + 9.088581 - j45.442909] \\
 &= \frac{7.388581 - j44.389409}{8.985190 - j44.835953} = 0.983564 - j0.032316
 \end{aligned}$$

$$V_{2,acc}^{(1)} = 1 + 1.6 [(0.983564 - j0.032316) - 1] = 0.973703 - j0.051706 \text{ pu}$$

$$V_{3,acc}^{(1)} = 0.953949 - j0.066708 \text{ pu}$$

$$\begin{aligned}
 Q_4^{(1)} &= -\text{Im} \left\{ \begin{aligned}
 &1.02 [(-5.169561 + j25.847809)(0.973703 - j0.051706)] \\
 &+ (-3.023705 + j15.118528)(0.953949 - j0.066708) \\
 &+ (8.193267 - j40.863838)(1.02)
 \end{aligned} \right\} \\
 &= -\text{Im} \{ 1.02 [-5.573064 + j40.059396 + (8.193267 - j40.863838)1.02] \} \\
 &= 1.654151 \text{ per unit}
 \end{aligned}$$

$$\begin{aligned}
V_4^{(1)} &= \frac{1}{Y_{44}} \left[\frac{P_{4,\text{sch}} - jQ_4^{(1)}}{V_4^{(0)*}} - (Y_{42}V_{2,\text{acc}}^{(1)} + Y_{43}V_{3,\text{acc}}^{(1)}) \right] \\
&= \frac{1}{Y_{44}} \left[\frac{2.38 - j1.654151}{1.02 - j0.0} - (-5.573066 + j40.059398) \right] \\
&= \frac{7.906399 - j41.681115}{8.193267 - j40.863838} = 1.017874 - j0.010604 \text{ per unit}
\end{aligned}$$

$$\begin{aligned}
V_{4,\text{corr}}^{(1)} &= \frac{1.02}{1.017929} (1.017874 - j0.010604) \\
&= 1.019945 - j0.010625 \text{ per unit}
\end{aligned}$$

Iteration # 2

$$\begin{aligned}
V_2^{(2)} &= \frac{1}{Y_{22}} \left[\frac{P_{2,\text{sch}} - jQ_{2,\text{sch}}}{V_2^{(1)*}} - (Y_{21}V_1^{(1)} + Y_{24}V_{4,\text{acc}}^{(1)}) \right] \\
&= \frac{1}{Y_{22}} \left[\frac{-1.7 + j1.0535}{0.981113 + j0.031518} - \{ -3.815629 + j19.078144 \right. \\
&\quad \left. + (-5.169561 + j25.847809)(1.019922 + j0.012657) \} \right] \\
&= \frac{7.718854 - j44.247184}{8.985190 - j44.835953} \\
&= 0.9819338 - j0.0246233
\end{aligned}$$

$$\begin{aligned}
V_{2,\text{acc}}^{(2)} &= 0.981113 - j0.031518 + 1.6 (0.9819338 - j0.0246233) \\
&\quad - 0.9819338 + j0.0246233 \\
&= 0.982426 - j0.020486
\end{aligned}$$

$$\begin{aligned}
V_3^{(2)} &= \frac{1}{Y_{33}} \left[\frac{P_{3,\text{sch}} - jQ_{3,\text{sch}}}{V_3^{(1)*}} - (Y_{31} V_1^{(2)} + Y_{34} V_{4,\text{acc}}^{(1)}) \right] \\
&= \frac{1}{Y_{33}} \left[\frac{-2 + j1.2394}{0.966597 + j0.040797} - \left\{ -5.16956 + j25.847809 \right. \right. \\
&\quad \left. \left. + (-3.023705 + j15.118528)(1.019922 + j0.012657) \right\} \right] \\
&= \frac{6.433447 - j39.862133}{8.193267 - j40.863838} \\
&= 0.9681332 - j0.0366761
\end{aligned}$$

$$\begin{aligned}
V_{3,\text{acc}}^{(2)} &= 0.966597 - j0.00.040797 + 1.6 (0.9681332 - j0.0366761 \\
&\quad - 0.966597 + j0.00.040797) \\
&= 0.969055 - j0.034195
\end{aligned}$$

$$\begin{aligned}
Q_4^{(2)} &= - \text{Im} \left\{ V_4^{(1)*} \left[Y_{42} V_2^{(2)} + Y_{43} V_3^{(2)} + Y_{44} V_4^{(1)} \right] \right\} \\
&= - \text{Im} \{ (1.019922 - j0.012657) \\
&\quad \times [(-5.16956 + j25.847809)(0.982426 - j0.020486) \\
&\quad + (-3.023705 + j15.118528)(0.969055 - j0.034195) \\
&\quad + (8.193267 - j40.863837)(1.019922 + j0.012657)] \} \\
&= - \text{Im} \{ 1.911362 - j1.320680 \} = 1.320680
\end{aligned}$$

$$\begin{aligned}
V_4^{(2)} &= \frac{1}{Y_{44}} \left[\frac{P_{3,sch} - jQ_4^{(2)}}{V_4^{(1)*}} - (Y_{42}V_2^{(2)} + Y_{43}V_3^{(2)}) \right] \\
&= \frac{1}{Y_{44}} \left[\frac{2.38 - j1.320680}{1.019922 - j0.012657} \right. \\
&\quad \left. - \left\{ (-5.16956 + j25.847809)(0.982426 - j0.020486) \right. \right. \\
&\quad \left. \left. + (-3.023705 + j15.118528)(0.969055 - j0.034195) \right\} \right] \\
&= \frac{9.311570 - j41.519274}{8.193267 - j40.863838} \\
&= 1.020695 + j0.023217
\end{aligned}$$

$$\begin{aligned}
V_{4,corr}^{(2)} &= \frac{1.02}{1.020959} (1.020695 + j0.023217) \\
&= 1.019736 + j0.023195
\end{aligned}$$

Q.1-b)

The net power injection found at bus ④

$$Q_4 = 1.654151 \text{ per unit} = 165.4151 \text{ Mvar}$$

Considering the reactive load of 49.58 Mvar at the bus, the required reactive power generation is $165.4151 + 49.58 = 214.9951$ Mvar, which exceeds the 125 Mvar limit specified. The bus is now regarded as a load bus, with total reactive power generation of 125 Mvar. So the net injected reactive power in this case is

$$125 - 49.58 = 75.42 \text{ Mvar} = 0.7521 \text{ per unit}$$

V_4 is now calculated as

$$\begin{aligned}
V_4^{(1)} &= \frac{1}{Y_{44}} \left[\frac{P_{4,sch} - jQ_4^{(1)}}{V_4^{(0)*}} - (Y_{42}V_{2,acc}^{(1)} + Y_{43}V_{3,acc}^{(1)}) \right] \\
&= \frac{1}{8.193267 - j40.863838} \left[\frac{2.38 - j0.7542}{1.02} - (-5.573064 + j40.05939) \right] \\
&= 0.997117 - j0.006442 \text{ per unit}
\end{aligned}$$

and using an acceleration factor of 1.6 yields

$$V_{4,acc}^{(1)} = 1.02 + 1.6(0.997117 - j0.006442 - 1.02) = 0.983387 - j0.0103073 \text{ per unit}$$

Q.2) A 3-bus system has the following line and bus data (on the base of 100MVA, 230kV base):

Line-Data

Bus-to-Bus	R (per-unit)	X (per-unit)
1-2	0.02	0.04
1-3	0.01	0.03
2-3	0.0125	0.025

Bus-Data

Bus	Type	P _G (MW)	Q _G (MW)	P _D (MW)	Q _D (MW)	V (per-unit)
1	Slack	-	-	0	0	1.05
2	Load	0	0	400	250	-
3	Voltage Controlled	200	-	0	0	1.04

- a) Use Newton-Raphson (Polar-Form) method to calculate P₁ , Q₁ , and Q₃ (considering mismatch voltage tolerance of $\epsilon = 2.5 \times 10^{-4}$ for both magnitudes and phase-angles, and maximum number of iteration **5**).
- b) Use Fast-Decoupled method to calculate P₁ , Q₁ , and Q₃ (considering mismatch voltage tolerance of $\epsilon = 2.5 \times 10^{-4}$ for both magnitudes and phase-angles, and maximum number of iteration **15**).

Solution:

Q.2-a)

- **Using the Newton-Raphson PF, find the power flow solution**


$$y_{12} = 10 - j20 \text{ pu}$$

$$y_{13} = 10 - j30 \text{ pu}$$

$$y_{23} = 16 - j32 \text{ pu}$$

$$S_2^{sch} = -\frac{400 + j250}{100} = -4.0 - j2.5 \text{ pu}$$

$$P_3^{sch} = \frac{200}{100} = 2.0 \text{ pu}$$



$$\begin{aligned} Y_{bus} &= \begin{bmatrix} 20 - j50 & -10 + j20 & -10 + j30 \\ -10 + j20 & 26 - j52 & -16 + j32 \\ -10 + j30 & -16 + j32 & 26 - j62 \end{bmatrix} \\ &= \begin{bmatrix} 53.9 \angle -1.90 & 22.4 \angle 2.03 & 31.6 \angle 1.89 \\ 22.4 \angle 2.03 & 58.1 \angle -1.11 & 35.8 \angle 2.03 \\ 31.6 \angle 1.89 & 35.8 \angle 2.03 & 67.2 \angle -1.17 \end{bmatrix} \quad \text{angles are in radians} \end{aligned}$$

$$P_2 = |V_2| |V_1| |Y_{21}| \cos(\theta_{21} - \delta_2 + \delta_1) + |V_2|^2 |Y_{22}| \cos(\theta_{22}) + |V_2| |V_3| |Y_{23}| \cos(\theta_{23} - \delta_2 + \delta_3)$$

$$P_3 = |V_3| |V_1| |Y_{31}| \cos(\theta_{31} - \delta_3 + \delta_1) + |V_3| |V_2| |Y_{32}| \cos(\theta_{32} - \delta_3 + \delta_2) + |V_3|^2 |Y_{33}| \cos(\theta_{33})$$

$$Q_2 = -|V_2| |V_1| |Y_{21}| \sin(\theta_{21} - \delta_2 + \delta_1) - |V_2|^2 |Y_{22}| \sin(\theta_{22}) - |V_2| |V_3| |Y_{23}| \sin(\theta_{23} - \delta_2 + \delta_3)$$

$$\begin{aligned} \bar{x} &= \begin{bmatrix} \bar{\delta}_2 \\ \bar{\delta}_3 \\ \bar{V}_2 \end{bmatrix} \quad f(\bar{x}) = \begin{bmatrix} P_2(\bar{\delta}_2, \bar{\delta}_3, \bar{V}_2) \\ P_3(\bar{\delta}_2, \bar{\delta}_3, \bar{V}_2) \\ Q_2(\bar{\delta}_2, \bar{\delta}_3, \bar{V}_2) \end{bmatrix} \\ &= \begin{bmatrix} |\bar{V}_2| 1.05 |22.3| \cos(2.03 - \bar{\delta}_{21}) + |\bar{V}_2|^2 |58.1| \cos(-1.11) + |\bar{V}_2| 1.04 |35.8| \cos(2.03 - \bar{\delta}_2 + \bar{\delta}_3) \\ |V_3| 1.05 |31.6| \cos(1.89 - \bar{\delta}_3) + |1.04| |\bar{V}_2| |35.8| \cos(2.03 - \bar{\delta}_3 + \bar{\delta}_2) + |1.04|^2 |67.2| \cos(-1.17) \\ -|\bar{V}_2| 1.05 |22.3| \sin(2.03 - \bar{\delta}_2) - |\bar{V}_2|^2 |58.1| \sin(-1.11) - |\bar{V}_2| 1.04 |35.8| \sin(2.03 - \bar{\delta}_2 + \bar{\delta}_3) \end{bmatrix} \end{aligned}$$

$$\Delta c = \begin{bmatrix} \Delta P_2 \\ \Delta P_3 \\ \Delta Q_2 \end{bmatrix} = c - f(\bar{x}) = \begin{bmatrix} P_2^{sch} \\ P_3^{sch} \\ Q_2^{sch} \end{bmatrix} - \begin{bmatrix} P_2(\bar{\delta}_2, \bar{\delta}_3, \bar{V}_2) \\ P_3(\bar{\delta}_2, \bar{\delta}_3, \bar{V}_2) \\ Q_2(\bar{\delta}_2, \bar{\delta}_3, \bar{V}_2) \end{bmatrix} = \begin{bmatrix} -4.0 \\ 2.0 \\ -2.5 \end{bmatrix} - \begin{bmatrix} P_2(\bar{\delta}_2, \bar{\delta}_3, \bar{V}_2) \\ P_3(\bar{\delta}_2, \bar{\delta}_3, \bar{V}_2) \\ Q_2(\bar{\delta}_2, \bar{\delta}_3, \bar{V}_2) \end{bmatrix}$$

$$\begin{aligned}\frac{\partial P_2}{\partial \delta_2} &= \sum_{j=1, j \neq 2}^3 |V_2| |V_j| |Y_{2j}| \sin(\theta_{2j} - \delta_2 + \delta_j) \\ &= |V_2| |V_1| |Y_{21}| \sin(\theta_{21} - \delta_2) + |V_2| |V_3| |Y_{23}| \sin(\theta_{23} - \delta_2 + \delta_3) \\ &= |V_2| |1.05| |22.4| \sin(2.03 - \delta_2) + |V_2| |1.04| |35.8| \sin(2.03 - \delta_2 + \delta_3)\end{aligned}$$

$$\frac{\partial P_2}{\partial \delta_3} = -|V_2| |V_3| |Y_{23}| \sin(\theta_{23} - \delta_2 + \delta_3) = -|V_2| |1.04| |35.8| \sin(2.03 - \delta_2 + \delta_3)$$

$$\begin{aligned}\frac{\partial P_2}{\partial |V_2|} &= 2|V_2| |Y_{22}| \cos(\theta_{22}) + \sum_{j=1, j \neq 2}^3 |V_j| |Y_{2j}| \cos(\theta_{2j} - \delta_2 + \delta_j) \\ &= 2|V_2| |Y_{22}| \cos(\theta_{22}) + |V_2| |Y_{21}| \cos(\theta_{21} - \delta_2 + \delta_1) + |V_2| |Y_{23}| \cos(\theta_{23} - \delta_2 + \delta_3) \\ &= 2|V_2| |58.1| \cos(2.03) + |1.05| |22.4| \cos(2.03 - \delta_2) \\ &\quad + |1.04| |35.8| \cos(2.03 - \delta_2 + \delta_3)\end{aligned}$$

$$\frac{\partial P_3}{\partial \delta_2} = -|V_3| |V_2| |Y_{32}| \sin(\theta_{32} - \delta_3 + \delta_2) = -|1.04| |V_2| |35.8| \sin(2.03 - \delta_2 + \delta_3)$$

$$\begin{aligned}\frac{\partial P_3}{\partial \delta_3} &= \sum_{j=1, j \neq 3}^3 |V_3| |V_j| |Y_{3j}| \sin(\theta_{3j} - \delta_3 + \delta_j) \\ &= |V_3| |V_1| |Y_{31}| \sin(\theta_{31} - \delta_3 + \delta_1) + |V_3| |V_2| |Y_{32}| \sin(\theta_{32} - \delta_3 + \delta_2) \\ &= |1.04| |1.05| |31.6| \sin(1.89 - \delta_3) + |1.04| |V_2| |35.8| \sin(2.03 - \delta_3 + \delta_2)\end{aligned}$$

$$\frac{\partial P_3}{\partial |V_2|} = |V_3| |Y_{32}| \cos(\theta_{32} - \delta_3 + \delta_2) = |1.04| |35.8| \cos(2.03 - \delta_2 + \delta_3)$$

$$\begin{aligned}\frac{\partial Q_2}{\partial \delta_2} &= \sum_{j=1, j \neq 2}^3 |V_2| |V_j| |Y_{2j}| \cos(\theta_{2j} - \delta_2 + \delta_j) \\ &= |V_2| |V_1| |Y_{21}| \cos(\theta_{21} - \delta_2 + \delta_1) + |V_2| |V_3| |Y_{23}| \cos(\theta_{23} - \delta_2 + \delta_3) \\ &= |V_2| |1.05| |22.4| \cos(2.03 - \delta_2) + |V_2| |1.04| |35.8| \cos(2.03 - \delta_2 + \delta_3)\end{aligned}$$

$$\frac{\partial Q_2}{\partial \delta_3} = -|V_2| |V_3| |Y_{23}| \cos(\theta_{23} - \delta_2 + \delta_3) = -|V_2| |1.04| |35.8| \cos(2.03 - \delta_2 + \delta_3)$$

$$\begin{aligned}\frac{\partial Q_2}{\partial |V_2|} &= -2|V_2| |Y_{22}| \sin(\theta_{22}) - \sum_{j=1, j \neq 2}^3 |V_j| |Y_{2j}| \sin(\theta_{2j} - \delta_2 + \delta_j) \\ &= -2|V_2| |Y_{22}| \sin(\theta_{22}) - |V_1| |Y_{21}| \sin(\theta_{21} - \delta_2 + \delta_1) - |V_3| |Y_{23}| \sin(\theta_{23} - \delta_2 + \delta_3) \\ &= -2|V_2| |58.1| \sin(-1.11) - |1.05| |22.4| \sin(2.03 - \delta_2) \\ &\quad - |1.04| |35.8| \sin(2.03 - \delta_2 + \delta_3)\end{aligned}$$

$$\bar{x}^{[k+1]} = \bar{x}^{[k]} + J^{-1} \cdot \Delta c^{[k]}$$

$$= \begin{bmatrix} \bar{\delta}_2 \\ \bar{\delta}_3 \\ \bar{V}_2 \end{bmatrix}^{[k+1]} = \begin{bmatrix} \bar{\delta}_2 \\ \bar{\delta}_3 \\ \bar{V}_2 \end{bmatrix}^{[k]} + \begin{bmatrix} \partial P_2 / \partial \delta_2 & \partial P_2 / \partial \delta_3 & \partial P_2 / \partial V_2 \\ \partial P_3 / \partial \delta_2 & \partial P_3 / \partial \delta_3 & \partial P_3 / \partial V_2 \\ \partial Q_2 / \partial \delta_2 & \partial Q_2 / \partial \delta_3 & \partial Q_2 / \partial V_2 \end{bmatrix}^{-1} \cdot \begin{bmatrix} \Delta P_2 \\ \Delta P_3 \\ \Delta Q_2 \end{bmatrix}^{[k]}$$

$$\bar{x}^{[0]} = \begin{bmatrix} 0.0 \\ 0.0 \\ 1.0 \end{bmatrix} \quad \Delta c^{[0]} = \begin{bmatrix} P_2^{sch} \\ P_3^{sch} \\ Q_2^{sch} \end{bmatrix} - \begin{bmatrix} P_2^{[0]} \\ P_3^{[0]} \\ Q_2^{[0]} \end{bmatrix} = \begin{bmatrix} -4.0 \\ 2.0 \\ -2.5 \end{bmatrix} - \begin{bmatrix} -1.14 \\ 0.562 \\ -2.28 \end{bmatrix} = \begin{bmatrix} -2.86 \\ 1.438 \\ -0.22 \end{bmatrix}$$

$$\Delta x^{[0]} = J^{-1} \Delta c^{[0]}$$

$$\Delta x^{[0]} = \begin{bmatrix} \Delta \delta_2^{[0]} \\ \Delta \delta_3^{[0]} \\ \Delta |V_2^{[0]}| \end{bmatrix} = \begin{bmatrix} 54.28 & -33.28 & 24.86 \\ -33.28 & 66.04 & -16.64 \\ -27.14 & 16.64 & 49.72 \end{bmatrix}^{-1} \begin{bmatrix} -2.86 \\ 1.438 \\ -0.22 \end{bmatrix} = \begin{bmatrix} -0.04526 \\ -0.00772 \\ -0.02655 \end{bmatrix}$$

$$\bar{x}^{[1]} = \begin{bmatrix} \delta_2^{[1]} \\ \delta_3^{[1]} \\ |V_2^{[1]}| \end{bmatrix} = \begin{bmatrix} 0.0 + (-0.04526) \\ 0.0 + (-0.00772) \\ 1.0 + (-0.02655) \end{bmatrix} = \begin{bmatrix} -0.04526 \\ -0.00772 \\ 0.9734 \end{bmatrix}$$

$$\bar{x}^{[1]} = \begin{bmatrix} -0.04526 \\ -0.00772 \\ 0.9734 \end{bmatrix} \quad \Delta c^{[1]} = \begin{bmatrix} P_2^{sch} \\ P_3^{sch} \\ Q_2^{sch} \end{bmatrix} - \begin{bmatrix} P_2^{[1]} \\ P_3^{[1]} \\ Q_2^{[1]} \end{bmatrix} = \begin{bmatrix} -4.0 \\ 2.0 \\ -2.5 \end{bmatrix} - \begin{bmatrix} -3.901 \\ 1.978 \\ -2.449 \end{bmatrix} = \begin{bmatrix} -0.099 \\ 0.0217 \\ -0.051 \end{bmatrix}$$

$$\Delta x^{[1]} = \begin{bmatrix} 51.72 & -31.77 & 21.30 \\ -32.98 & 65.66 & -15.38 \\ -28.54 & 17.40 & 48.10 \end{bmatrix}^{-1} \begin{bmatrix} -0.099 \\ 0.0217 \\ -0.051 \end{bmatrix} = \begin{bmatrix} -0.001795 \\ -0.000985 \\ -0.001767 \end{bmatrix}$$

$$\bar{x}^{[2]} = \begin{bmatrix} \delta_2^{[2]} \\ \delta_3^{[2]} \\ |V_2^{[2]}| \end{bmatrix} = \begin{bmatrix} -0.04526 + (-0.001795) \\ -0.00772 + (-0.000985) \\ 0.9734 + (-0.001767) \end{bmatrix} = \begin{bmatrix} -0.04706 \\ -0.00870 \\ 0.9717 \end{bmatrix}$$

$$\bar{x}^{[2]} = \begin{bmatrix} -0.04706 \\ -0.00870 \\ 0.9717 \end{bmatrix} \quad \Delta c^{[2]} = \begin{bmatrix} P_2^{sch} \\ P_3^{sch} \\ Q_2^{sch} \end{bmatrix} - \begin{bmatrix} P_2^{[1]} \\ P_3^{[1]} \\ Q_2^{[1]} \end{bmatrix} = \begin{bmatrix} -4.0 \\ 2.0 \\ -2.5 \end{bmatrix} - \begin{bmatrix} -3.999 \\ 1.999 \\ -2.499 \end{bmatrix} = \begin{bmatrix} -0.0002 \\ 0.00004 \\ -0.0001 \end{bmatrix}$$

$$\Delta x^{[2]} = \begin{bmatrix} 51.60 & -31.69 & 21.14 \\ -32.93 & 65.60 & -15.35 \\ -28.55 & 17.40 & 47.95 \end{bmatrix}^{-1} \begin{bmatrix} -0.000216 \\ 0.000038 \\ -0.000143 \end{bmatrix} = \begin{bmatrix} -0.000038 \\ -0.000002 \\ -0.000004 \end{bmatrix}$$

$$\bar{x}^{[3]} = \begin{bmatrix} \delta_2^{[3]} \\ \delta_3^{[3]} \\ |V_2^{[3]}| \end{bmatrix} = \begin{bmatrix} -0.04706 + (-0.000038) \\ -0.00870 + (-0.000002) \\ 0.9717 + (-0.000004) \end{bmatrix} = \begin{bmatrix} -0.04706 \\ -0.008705 \\ 0.97168 \end{bmatrix}$$

$$\bar{x}^{[3]} = \begin{bmatrix} -0.04706 \\ -0.008705 \\ 0.97168 \end{bmatrix} \quad \Delta c^{[2]} = \begin{bmatrix} P_2^{sch} \\ P_3^{sch} \\ Q_2^{sch} \end{bmatrix} - \begin{bmatrix} P_2^{[1]} \\ P_3^{[1]} \\ Q_2^{[1]} \end{bmatrix} = \begin{bmatrix} -4.0 \\ 2.0 \\ -2.5 \end{bmatrix} - \begin{bmatrix} -4.0 \\ 2.0 \\ -2.5 \end{bmatrix} = \begin{bmatrix} 0.0000 \\ 0.0000 \\ 0.0000 \end{bmatrix}$$

$$\varepsilon_{\max} = 2.5 \times 10^{-4}$$

$$P_1 = |V_1|^2 |Y_{11}| \cos(\theta_{11}) + |V_1| |V_2| |Y_{12}| \cos(\theta_{12} - \delta_1 + \delta_2) + |V_1| |V_3| |Y_{13}| \cos(\theta_{13} - \delta_1 + \delta_3)$$

$$Q_1 = -|V_1|^2 |Y_{11}| \sin(\theta_{11}) - |V_1| |V_2| |Y_{12}| \sin(\theta_{12} - \delta_1 + \delta_2) - |V_1| |V_3| |Y_{13}| \sin(\theta_{13} - \delta_1 + \delta_3)$$

$$Q_3 = -|V_3| |V_1| |Y_{31}| \sin(\theta_{31} - \delta_3 + \delta_1) - |V_3| |V_2| |Y_{32}| \sin(\theta_{32} - \delta_3 + \delta_2) - |V_3|^2 |Y_{33}| \sin(\theta_{33})$$

$$P_1 = 2.1842 \text{ pu}$$

$$Q_1 = 1.4085 \text{ pu}$$

$$Q_3 = 1.4617 \text{ pu}$$

Q.2-d)

$$B' = \begin{bmatrix} -52 & 32 \\ 32 & -62 \end{bmatrix}$$

$$[B']^{-1} = \begin{bmatrix} -0.028182 & -0.014545 \\ -0.014545 & -0.023636 \end{bmatrix}$$

$$B'' = [-52]$$

$$[B'']^{-1} = [-0.019231]$$

Initial values:

$$V^{[0]} = \begin{bmatrix} 1.05\angle 0^\circ \\ 1.00\angle 0^\circ \\ 1.00\angle 0^\circ \end{bmatrix}$$

First iteration:

$$\bar{y} = \begin{bmatrix} P_2^{sch} \\ P_3^{sch} \\ Q_2^{sch} \end{bmatrix} = \begin{bmatrix} -4.0 \\ 2.0 \\ -2.5 \end{bmatrix} \quad \bar{x}^{[k]} = \begin{bmatrix} \delta_2^{[k]} \\ \delta_3^{[k]} \\ V_2^{[k]} \end{bmatrix} \quad \bar{x}^{[0]} = \begin{bmatrix} 0.0 \\ 0.0 \\ 1.0 \end{bmatrix}$$

$$f(\bar{x}) = \begin{bmatrix} P_{inj2}(\bar{x}) \\ P_{inj3}(\bar{x}) \\ Q_{inj2}(\bar{x}) \end{bmatrix} \quad P_{inj i} = \sum_{j=1}^n |V_i| |V_j| |Y_{ij}| \cos(\theta_{ij} - \delta_i + \delta_j) \\ Q_{inj i} = -\sum_{i=1}^n |V_i| |V_j| |Y_{ij}| \sin(\theta_{ij} - \delta_i + \delta_j)$$

$$f(\bar{x}) = \begin{bmatrix} |V_2|^2 |Y_{22}| \cos(\theta_{22}) + |V_2| |V_1| |Y_{21}| \cos(\theta_{21} - \delta_2 + \delta_1) + |V_2| |V_3| |Y_{23}| \cos(\theta_{23} - \delta_2 + \delta_3) \\ |V_3|^2 |Y_{33}| \cos(\theta_{33}) + |V_3| |V_1| |Y_{31}| \cos(\theta_{31} - \delta_3 + \delta_1) + |V_3| |V_2| |Y_{32}| \cos(\theta_{32} - \delta_3 + \delta_2) \\ -|V_2|^2 |Y_{22}| \sin(\theta_{22}) - |V_2| |V_1| |Y_{21}| \sin(\theta_{21} - \delta_2 + \delta_1) - |V_2| |V_3| |Y_{23}| \sin(\theta_{23} - \delta_2 + \delta_3) \end{bmatrix}$$

$$= \begin{bmatrix} |V_2|^2 |58.1| \cos(-1.11) + |V_2| |1.05| |22.4| \cos(2.03 - \delta_2) + |V_2| |1.04| |35.8| \cos(2.03 - \delta_2 + \delta_3) \\ |1.04|^2 |67.2| \cos(-1.17) + |1.04| |1.05| |31.6| \cos(1.89 - \delta_3) + |1.04| |V_2| |35.8| \cos(2.03 - \delta_3 + \delta_2) \\ -|V_2|^2 |58.1| \sin(-1.11) - |V_2| |1.05| |22.4| \sin(2.03 - \delta_2) - |V_2| |1.04| |35.8| \sin(2.03 - \delta_2 + \delta_3) \end{bmatrix}$$

$$\Delta y^{[0]} = \begin{bmatrix} P_2^{sch} \\ P_3^{sch} \\ Q_2^{sch} \end{bmatrix} - \begin{bmatrix} P_2^{[0]} \\ P_3^{[0]} \\ Q_2^{[0]} \end{bmatrix} = \begin{bmatrix} -4.0 \\ 2.0 \\ -2.5 \end{bmatrix} - \begin{bmatrix} -1.14 \\ 0.562 \\ -2.28 \end{bmatrix} = \begin{bmatrix} -2.86 \\ 1.438 \\ -0.22 \end{bmatrix}$$

$$\begin{bmatrix} \Delta \delta_2^{[0]} \\ \Delta \delta_3^{[0]} \\ \Delta V_2^{[0]} \end{bmatrix} = \begin{bmatrix} 0.028182 & 0.014545 \\ 0.014545 & 0.023636 \end{bmatrix} \begin{bmatrix} -2.86/1.0 \\ 1.438/1.04 \end{bmatrix} = \begin{bmatrix} -0.06048 \\ -0.00891 \\ -0.004231 \end{bmatrix}$$

$$\delta_2^{[1]} = 0.0 + (-0.06048) = -0.06048$$

$$\delta_3^{[1]} = 0.0 + (-0.00891) = -0.00891$$

$$|V_2^{[1]}| = 1.0 + (-0.004231) = 0.995769$$

Remaining iterations:

Iter	δ_2	δ_3	$ V_2 $	ΔP_2	ΔP_3	ΔQ_2
1	-0.060482	-0.008909	0.995769	-2.860000	1.438400	-0.220000
2	-0.056496	-0.007952	0.965274	0.175895	-0.070951	-1.579042
3	-0.044194	-0.008690	0.965711	0.640309	-0.457039	0.021948
4	-0.044802	-0.008986	0.972985	-0.021395	0.001195	0.365249
5	-0.047665	-0.008713	0.973116	-0.153368	0.112899	0.006657
6	-0.047614	-0.008645	0.971414	0.000520	0.002610	-0.086136
7	-0.046936	-0.008702	0.971333	0.035980	-0.026190	-0.004067
8	-0.046928	-0.008720	0.971732	0.000948	-0.001411	0.020119
9	-0.047087	-0.008707	0.971762	-0.008442	0.006133	0.001558
10	-0.047094	-0.008702	0.971669	-0.000470	0.000510	-0.004688