King Fahd University of Petroleum & Minerals Computer Engineering Dept

COE 341 – Data and Computer Communications Term 082 Dr. Ashraf S. Hasan Mahmoud Rm 22-148-3 Ext. 1724

Email: ashraf@kfupm.edu.sa

2/28/2009

Dr. Ashraf S. Hasan Mahmoud

Lecture Contents

- 1. Protocols
 - a. Characteristics
 - b. Functions
- 2. OSI
 - a. The model
 - b. OSI layers
- 3. TCP/IP Protocol Suite

2/28/2009

Dr. Ashraf S. Hasan Mahmoud

Protocols - Definition

- What is a Protocol:
 - Convention between two communicating entities governing exchange of data
- Elements of Protocol:
 - Syntax: data format, signal levels, etc.
 - Semantics: control info coordination and error handling
 - Timing: matching speeds and sequencing (synchronization)

2/28/2009

Dr. Ashraf S. Hasan Mahmoud

3

Standards Organizations

- Internet Society (http://www.isoc.org/):
 - Internet Organization and RFC Publication
 - Internet Architecture Board (IAB)
 - Internet Engineering Task Force (IETF)
 - Internet Engineering Steering Group (IESG)
- International Organization for Standardization or ISO:
 - Open System Interface (OSI): communication architecture and reference model

2/28/2009

Dr. Ashraf S. Hasan Mahmoud

Standards Organizations

- International Telecommunication Union (ITU)
 - United nations organization
 - ITU-T: Telecommunications Standardization Sector
 - Replaced International Telegraph and Telephone Consultative Committee (CCITT)
- ATM Forum:
 - 600 member companies

2/28/2009

Dr. Ashraf S. Hasan Mahmoud

5

Protocols - Characteristics

- Characteristics:
 - Direct/Indirect:
 - Direct: e.g for point-to-point communications, RS-232
 - Indirect: e.g devices connected through other nodes (internetwork, internet)
 - Monolithic/Structured
 - Monolithic: One package (SW and HW) performing all functions pertaining to the comm session
 - Structured: modular approach ← The focus of this course

2/28/2009

Dr. Ashraf S. Hasan Mahmoud

Protocols - Characteristics

- Characteristics cont'd:
 - Symmetric/Asymmetric
 - Symmetric: comm between peer entities
 - Asymmetric: to keep one side simple
 - E.g. client-server model, polling methods
 - Standard/Nonstandard
 - Standard: conforming to a single agreed upon standard
 - Nonstandard: no conformity
 - Clients vs. vendors ?

2/28/2009

Dr. Ashraf S. Hasan Mahmoud

7

Protocols - Functions

- Encapsulation
- Segmentation and Assembly
- Connection Control
- Ordered Delivery
- Flow Control
- Error Control
- Addressing
- Multiplexing
- Transmission Services

2/28/2009

Dr. Ashraf S. Hasan Mahmoud

Protocols - Functions

- Encapsulation:
 - PDU: block of data exchanged between two entities
 - PDU = user data + overhead (addressing, error control, protocol control)
 - User data is referred to as SDU
- Segmentation and Reassembly:
 - Example: ATM (53 bytes cells) core with Ethernet LAN (frames up to 1526 bytes)

2/28/2009

Dr. Ashraf S. Hasan Mahmoud

9

Protocols - Functions

Connection Control:

 Connection establishment

Data transfer
Connection termination

Protocol entities
Connection request
 Connection accept
 Connection accept
 Letrmination connection
 Itemination connection
 Letrmination connection
 Letrminati

2/28/2009

Dr. Ashraf S. Hasan Mahmoud

Protocols - Functions

- Ordered Delivery
 - Ordered delivery of PDUs
 - Requires buffering, sequence numbers
- Flow control:
 - Limit amount of flow e.g stop and wait procedure – receiving entity must acknowledge block before transmitter sends the next one in line

2/28/2009

Dr. Ashraf S. Hasan Mahmoud

11

Protocols - Functions


- Error Control
 - To combat corruption of transmitted data
 - Transmitters inserts overhead info to detect corruption
 - Receiver checks overhead bits and finds outs if block is corrupted or not
 - Corrupted may be correctable or request another copy
 - OK accept block

2/28/2009

Dr. Ashraf S. Hasan Mahmoud

Protocols - Functions

- Addressing:
 - Level, Scope, Connection Identifiers, and Mode



Protocols - Functions

- Multiplexing:
 - Multiple virtual circuits on one physical link (e.g X.25 – from one end system to another)
 - Mapping connections from one level (layer) to another:
 - E.g. Multiple service points carried on one virtual circuit (called upward or inward multiplexing)
 - Downward multiplexing: one high level connection is split or served by multiple lower level connections (for reliability and performance issues)

2/28/2009


Dr. Ashraf S. Hasan Mahmoud

The OSI Model


- Software model and abstraction
- Defines set of layers and the services at these layers necessary to perform communication
- Promotes compatibility of network designs
- Logical partitioning:
 - Manageability and scalability


2/28/2009

Dr. Ashraf S. Hasan Mahmoud



The OSI Model - Environment Laver i establishes a PEER relationship with layer i on the target node This means Layer i requires service from layer i-1 And so on The use of the PDUs No direct communication except for the physical layer - all other communication is indirect Fransport or virtual **Encapsulation of user data** Each layer may segment Network Network SDU to accommodate its own requirement - These Data Link Data Link are reassembled at the other end 2/28/2009 Dr. Ashraf S. Hasan Mahmoud





The OSI Model - Physical Layer

- Specifications:
 - Mechanical: dimensions, connectors, etc.
 - •Electrical: signal levels, rates of change, etc
 - •Functional: functions performed by each circuit
 - •Procedural: steps required to transport bits from one end to the other
- Provides service to do "transmission of raw bits"

2/28/2009

Dr. Ashraf S. Hasan Mahmoud

The OSI Model – Data Link Layer

- Converts the raw bit stream service provided by the physical layer to a reliable stream:
 - Performs error detection and error control
- Examples: HDLC, LAPB, LLC, etc

2/28/2009


Dr. Ashraf S. Hasan Mahmoud

21

The OSI Model - Network Layer

- Service: transfer of information between two end systems across communication network – End to end delivery of packets
- Two end systems may be connected by:
 - Point-2-point: no need for network layer
 - Same network (see figure)
 - Different network

2/28/2009



The OSI Model – Transport Layer

- Service: mechanism of exchanging data (or messages) between the two end systems:
 - For connection oriented networks:
 - Error-free delivery
 - Ordered delivery
 - No loss or duplication
 - Attempts to provide a certain quality of service (QoS) {certain max error rate, delay jitter, etc) through optimizing the the network layer services
- Example: TCP (connection oriented), UDP (connectionless)

2/28/2009

Dr. Ashraf S. Hasan Mahmoud

23

The OSI Model - Session Layer

- Service: mechanism of controlling the dialogue between applications at end systems
 - Dialogue Discipline
 - Grouping
 - Recovery

2/28/2009

Dr. Ashraf S. Hasan Mahmoud

The OSI Model - Presentation

 Service: defines format of data (format, encryption, and compression) to be exchanged between applications

2/28/2009

Dr. Ashraf S. Hasan Mahmoud

25

The OSI Model - Application

 Service: A means for user applications (email, ftp, etc) to access the services provided by the OSI model

2/28/2009

Dr. Ashraf S. Hasan Mahmoud

The TCP/IP Model

- TCP/IP is the result of R&D conducted on experimental packet switched network (ARPANET) and funded by Defense Advanced Research Agency (DARPA)
- TCP/IP is NOW the dominant commercial architecture – The foundation of the internet and its applications

2/28/2009

Dr. Ashraf S. Hasan Mahmoud

27


The TCP/IP Model

- Model has five independent layers:
 - Application layer: comm between processes or applications on separate hosts
 - Transport layer: end-2-end transfer service may include reliability mechanisms
 - Internet layer: routing data from source to destination through one or more networks
 - Network access layer: logical interface between end systems and the network
 - Physical layer: defines mechanism of transmitting raw bits depending on media characteristic

2/28/2009

Dr. Ashraf S. Hasan Mahmoud





Example of TCP/IP Communications

- A process (has port 1) on host A needs to communicate to another process: port 2 at host B
- The application layer on A hands the msg down to TCP with instructions to deliver it to (port2,host B)
- TCP hands msg down to IP with instructions to send it to host B:
 - The IP layer knows how to reach host B (or at least the first hop of the route) – does not care about port info
- IP hands down packets to network access (say Ethernet) with instructions to pass it to next router (first hop on the way to B)

2/28/2009

2/28/2009

Dr. Ashraf S. Hasan Mahmoud

30

Example of TCP/IP **Communications** Does not show Application User data segmentation byte stream (or fragmentation TCP in IP terms) TCP header segment process! ΙP IP datagram Network header Network-level packet 2/28/2009 Dr. Ashraf S. Hasan Mahmoud 31

TCP/IP Control Information (Partial)

- TCP control info:
 - Destination port number
 - Sequence number
 - Checksum
- IP control info:
 - IP address
- Network Access control info:
 - Destination network access address (this is not the IP!!)
 - Facilities request (e.g. priorities)

2/28/2009

Dr. Ashraf S. Hasan Mahmoud

